

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name	78-3287	Print date	09/16/2022
Version/ Issue date:	8 / 03/28/2022	Page	1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Item number/ Trade name	Color for candles
UFI	78-3287 4Q9Y-574G-Y201-0RU4

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use	Coloration of hydrocarbons, waxes, oils and fats
-------------	--

1.3 Details of the supplier of the safety data sheet

Company/undertaking identification

1.4 Emergency telephone number

Name
Phone #

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.
Eye Dam. 1; H318 Causes serious eye damage.
Repr. 2; H361f Suspected of damaging fertility.
Skin Sens. 1A; H317 May cause an allergic skin reaction.

2.2 Label elements



Danger

Nature of Hazard	GHS05 Corrosion GHS07 Exclamation mark GHS08 Health hazard
Hazard statements (CLP)	H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H361f Suspected of damaging fertility. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P321 Specific treatment (see ### on this label). P363 Wash contaminated clothing before reuse. P501 Dispose of contents/container to hazardous waste. P302+P352 IF ON SKIN: Wash with plenty of water/soap.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name	78-3287	Print date	09/16/2022
Version/ Issue date:	8 / 03/28/2022	Page	2 of 10

Precautionary statements (CLP)	P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P405 Store locked up. P308+P313 IF exposed or concerned: Get medical advice/attention. P273 Avoid release to the environment.
Hazard-determining component(s) of labelling	bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate C.I. Solvent Blue 63

Special provisions concerning the labelling of certain mixtures

2.3 Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture of waxes, colouring agents and additives

3.2 Mixtures

Hazardous ingredients

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate: 3 % - 9,99 %
CAS-Number: 52829-07-9
EINECS / ELINCS / NLP: 258-207-9
REACH registration No.: 01-2119537297-32
Classification according to EC regulation 1272/2008 (CLP):
Aquatic Acute 1 (M1); H400 / Aquatic Chronic 2; H411 / Eye Dam. 1; H318 / Repr. 2; H361f
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs.: 0,1 %
- 0,99 %
CAS-Number: 84605-20-9
Classification according to EC regulation 1272/2008 (CLP):
Aquatic Chronic 4; H413
C.I. Solvent Blue 63: 0,1 % - 0,99 %
CAS-Number: 6408-50-0
EINECS / ELINCS / NLP: 229-059-2
Classification according to EC regulation 1272/2008 (CLP):
Aquatic Chronic 4; H413 / Skin Sens. 1A; H317

Full text of H- and EUH-phrases: see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name
Version/ Issue date:

78-3287
8 / 03/28/2022

Print date
Page

09/16/2022
3 of 10

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	If you feel unwell, seek medical advice.
In case of inhalation	Move victim to fresh air. Seek medical aid in case of troubles.
In case of skin contact	Thoroughly wash skin with soap and water.
After eye contact	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists.
After swallowing	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Seek medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms ---

4.3 Indication of any immediate medical attention and special treatment needed

Information to physician ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Carbon dioxide , water spray jet , extinguishing powder , foam.
Extinguishing media which must not be used for safety reasons	Full water jet

5.2 Special hazards arising from the substance or mixture

Possible combustion products Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters	Wear self-contained breathing apparatus.
Additional information	Do not allow water used to extinguish fire to enter drains, ground or waterways. Do not allow fire water to penetrate into surface or ground water. You have to dispose of contaminated extinguishing water according to the regulations of the authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not breathe dust. With the formation of dust, use a dust mask. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Do not allow to enter into ground-water, surface water or drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Take up spilled product with dustpan and brush. Avoid causing any dust. Industrial vacuum cleaner recommended to avoid causing dust. CI soiled areas with a conventional household cleaner.

6.4 Reference to other sections

Personal protection equipment: see section 8, Disposal: see section 13

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name	78-3287	Print date	09/16/2022
Version/ Issue date:	8 / 03/28/2022	Page	4 of 10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling	Avoid contact with eyes and skin. When using do not eat, drink, smoke, sniff. Make sure there is sufficient air exchange and / or that working rooms are air suctioned. Avoid dust formation.
--------------------------	--

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers	Keep away from sources of ignition and heat. Store in a cool dry place. Store in a well-ventilated place. Keep container tightly closed. Protect from direct sunlight.
Storage class	11

7.3 Specific end use(s)

General use	Coloration of hydrocarbons, waxes, oils and fats
-------------	--

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Respiratory protection	With correct and proper use, and under normal conditions, breathing protection is not required. Provide good ventilation and/or an exhaust system in the work area. Wear a dust mask, in case of excessive dust.
Hand protection	Wear suitable gloves.- according to DIN-/EN-Norms EN 420, EN 388 and EN 374 Part 1,3
Eye protection	Goggles according to EN 166.
Body protection	Wear suitable protective clothing and shoes.
General protection and hygiene measures	Keep away from food and drinks. When using do not eat, drink or smoke. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name
Version/ Issue date:

78-3287
8 / 03/28/2022

Print date
Page

09/16/2022
5 of 10

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form	solid		
Colour	greenish blue		
Odour	characteristic		
Important health, safety and environmental information			
Initial boiling point and boiling range	> 130 °C		
Melting point/freezing point	> 60 °C		
Flash point/flash point range	> 150 °C		
Ignition temperature	> 200 °C		
Solubility	Product is difficult to dissolve in water.		
Vapour pressure	not determined	---	---
Density and/or relative density	not determined	---	---
Bulk density	---	---	---
Dynamic viscosity	---	---	---
Kinematic viscosity	0 m²/s	---	---
Lower explosion limit	---		
Upper explosion level	---		
Flow time 4mm (DIN)	not determined		
PH	---		
Partition coefficient: n-octanol/water	---	---	

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity	Non-reactive
10.2 Chemical stability	Product is stable under normal storage conditions.
10.3 Possibility of hazardous reactions	---
10.4 Conditions to avoid	Avoid dust formation. Avoid dust deposits. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.
10.5 Incompatible materials	strong acids and bases, strong oxidizing agents
10.6 Hazardous decomposition products	Hazardous vapours may form during fires. In case of fire may be liberated: Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

General remarks

No toxicological tests were conducted with the mixture.

Toxicological tests: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate			
Eye irritation: Rabbit	-	irreversible damage	OECD 405
Skin sensitisation: guinea pig	-	not sensitising	OECD 406
Mutagenicity:	-	not a mutagen	OECD 471 (Ames test)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name	78-3287	Print date	09/16/2022
Version/ Issue date:	8 / 03/28/2022	Page	6 of 10

Reproductive toxicity	-	Suspected of damaging fer	OECD 443
<i>Rat</i>			
Acute oral toxicity	LD50=	3700.0 mg/kg	
<i>Rat</i>			
Acute dermal toxicity	LD50>	3170.0 mg/kg	
<i>Rat</i>			
Acute inhalation toxicity	LC50>	mg/L	
<i>Rat</i>			

Toxicological tests: components

Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs.			
In vitro mutagenicity/genotoxi	-	not a mutagen	OECD 471 (Ames test)
STOT-repeated exposure	NOEL	1000.0 mg/kg	OECD 407
<i>not required</i>			
Acute oral toxicity	LD50 >	5000.0 mg/kg	
<i>Rat</i>			
Acute dermal toxicity	LD50 >	2000.0 mg/kg	
<i>Rat</i>			
In vivo mutagenicity/genotoxic	-	negative	
<i>Mouse</i>			

Toxicological tests: components

C.I. Solvent Blue 63			
Eye irritation:	-	Not an irritant	OECD 437
<i>Rabbit</i>			
Skin irritation:	-	Not an irritant	OECD 439
germ cell mutagenicity	-	negative	OECD 471 (Ames test)
<i>In vitro mutagenicity</i>			
Acute oral toxicity	LD50>	200.0 mg/kg	OECD 420
<i>Rat</i>			
Skin sensitisation	-	sensitising	
<i>Quantitative structure-activity relationship (QSAR)</i>			

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity	---
------------------	-----

Ecotoxicological effects: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate			
acute Daphnia toxicity	NOEC (48h) =	4.0 mg/L	
<i>Daphnia magna (Big water flea)</i>			
acute Daphnia toxicity	EC50 (48h) =	8.58 mg/L	
<i>Daphnia magna (Big water flea)</i>			
acute fish toxicity	LC50 (96h) =	4.4 mg/L	
<i>Lepomis macrochirus (Bluegill)</i>			
Bacteria toxicity	IC50 (72h) =	0.705 mg/L	
<i>Pseudokirchneriella subcapitata</i>			

Ecotoxicological effects: components

Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs.			
Fish toxicity:	LL50 (96h) >	1000.0 mg/L	
<i>Oncorhynchus mykiss</i>			
Daphnia toxicity:	EL50 (48h) >	1000.0 mg/L	
<i>Daphnia magna (Big water flea)</i>			
Algae toxicity:	EL50 (96) >	100.0 mg/L	
<i>Pseudokirchneriella subcapitata</i>			

Ecotoxicological effects: components

C.I. Solvent Blue 63			
Daphnia toxicity:	EC50(48h) >	100.0 mg/L	
<i>Daphnia magna (Big water flea)</i>			
Toxicity to microorganisms	EC50(72h) >	100.0 mg/L	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name	78-3287	Print date	09/16/2022
Version/ Issue date:	8 / 03/28/2022	Page	7 of 10

Pseudokirchneriella subcapitata

12.2 Persistence and degradability

Evaluation text	---
Degree of elimination	---
Analytical method	---

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Recommendation	Dispose of waste according to applicable legislation. Discharge into the environment must be avoided.
----------------	---

Package

Recommendation	Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.
----------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name

78-3287

Print date

09/16/2022

Version/ Issue date:

8 / 03/28/2022

Page

8 of 10

SECTION 14: Transport information

14.1 UN number

ADR, IATA, IMDG ---

14.2 UN proper shipping name

Product designation: ADR/RID ---
Proper shipping name: IATA-DGR ---
Proper shipping name: IMDG ---

14.3 Transport hazard class(es)

Class ADR/RID ---
Code: ADR/RID ---

Class IATA-DGR ---
Subrisk IATA-DGR ---

Class IMDG ---
Subrisk IMDG ---

14.4 Packing group

ADR, IATA, IMDG No packaging for dangerous goods required

14.5 Environmental hazards

Marine Pollutant -
IMDG ---

EmS ---
Stowage and segregation ---

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Additional information

EQ ---
Limited quantities ---
Special Provisions ---
Tunnel restriction ---
Transport category ---
Kemmler-number ---

No dangerous good in sense of these transport regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name	78-3287	Print date	09/16/2022
Version/ Issue date:	8 / 03/28/2022	Page	9 of 10

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Storage class	11
Water Hazard Class	2
Incident regulation	---
Information on working limitations	Observe employment restrictions for young people. Observe employment restrictions for expectant or nursing mothers.

15.2 Chemical Safety Assessment

Chemical Safety Assessment	No substance safety evaluation was conducted with the mixture/ substance.
----------------------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name

78-3287

Print date

09/16/2022

Version/ Issue date:

8 / 03/28/2022

Page

10 of 10

SECTION 16: Other information

Hazard statements (CLP)

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- H361f Suspected of damaging fertility.

Reason of change

General revision

Abbreviations

-
- REACH

Registration, Evaluation, Authorisation and Restriction of Chemicals (Verordnung (EG) Nr. 1907/2006)
- OECD

Organisation for Economic Co-operation and Development
- LD50

Median lethal dose
- LC50

Median lethal concentration
- EC50

Median effective dose
- IC50

Median inhibitory concentration
- VCI

Verband der chemischen Industrie
- CAS

Chemical Abstract Service
- EINECS

European Inventory of Existing Commercial Chemical Substances
- ELINCS

European List of Notified Chemical Substances
- NLP

No Longer Polymers
- CLP

Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging
- EG

Europäische Gemeinschaft
- WGK

Wassergefährdungsklasse (according to AwSV, Appendix 1 (5.2))
- AGW

Arbeitsplatzgrenzwert
- ADR

Accord Européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- RID

Règlement concernant le transport international ferroviaire des machandises dangereuses (International Rule for Transport of Dangerous Substances by Railway)
- IATA

International Air Transport Association
- IMDG

International Maritime Dangerous Goods
- MARPOL

International Convention for the Prevention of Pollution From Ships (MARine POLLution)
- EmS

Emergency Schedules