Christmas Spice V2 #EU23764F

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL - COMMISSION REGULATION (EU) No 344/2013 - COMMISSION REGULATION (EU) No 483/2013

Issue date(DD/MM/YEAR): 20/03/2018 Revision date: 21/03/2023 Supersedes version of: 15/02/2022 Version: 4.0

DECLARATION OF COMPLIANCE FOR PERFUME COMPOUNDS (DCP)

The adoption of the 7th amendement of the European Cosmetic Directive 76/768/EEC requires any cosmetic product containing any of 26 raw materials identified by the Scientific Committee on Cosmetic Products and Non-Food Products intended for Consumers as likely to cause a contact allergy when present above certain trigger levels to be declared on the package label.

ALLERGENS				
Name of common ingredients glossary	CAS-No.	Allergen % in product		
Linalool	78-70-6	0.496105		
d-Limonene	5989-27-5	7.743769		
Benzyl benzoate	120-51-4	0.00008		
Coumarin	91-64-5	1.223401		
Eugenol	97-53-0	6.24382		
Isoeugenol	97-54-1	0.00251		
Geraniol	106-24-1	0.000041		
Cinnamic aldehyde; Cinnamal	104-55-2	15.11925		
Cinnamic alcohol; Cinnamyl Alcohol	104-54-1	0.000281		

CERTIFICATE OF CONFORMITY OF FRAGRANCE MIXTURES WITH IFRA STANDARDS

This certificate assesses the conformity of the fragrance mixture with IFRA Standards and provides restrictions for use as necessary. It is based only on those materials subject to IFRA Standards for the toxicity endpoint(s) described in each Standard.

This Certificate does therefore not replace a comprehensive safety assessment of the fragrance mixture.

CERTIFICATE DELIVERED TO:

SCOPE OF THE CERTIFICATE:

Product: Christmas Spice V2 #EU23764F

Compulsory information:

We certify that the above mixture is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 51 Amendment to the IFRA Code of Practice (published June, 2023) provided it is used in the following class(es) at a maximum concentration level of:

IFRA Category(ies) [see Table 10 in Guidance for the use of IFRA Standards for details]	Level of use (%)*	Product application
Category 1	0 %	Lip Products of all types (solid and liquid lipsticks, balms, clear or colored, etc.) Children's toys
Category 2	0.09259719 %	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deocologne, etc.) Body sprays (including body mist)
Category 3	0.13889578 %	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eye care and moisturizer Facial make up and foundation Make-up remover for face and eyes Nose pore strips Wipes or refreshing tissues for face, neck, hands, body

		Body and face paint (for children and adults) Facial masks for face and around the eyes
Category 4	1.65352117 %	Hydroalcoholic and non-hydroalcoholic fine fragrance of all types (Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, etc.), aftershaves of all types (except creams and balms) Fragranced bracelets Ingredients of perfume kits and fragrance mixtures for cosmetic kits Scent pads, foil packs Scent strips for hydroalcoholic products
Category 5A	0.42330142 %	Body creams, oils, lotions of all types Foot care products (creams and powders) Insect repellent (intended to be applied to the skin) All powders and talc (excluding baby powders and talc)
Category 5B	0.27779156 %	Facial toner Facial moisturizers and creams (including care products for beard and mustache)
Category 5C	0.42330142 %	Hand cream Nail care products including cuticle creams, nail lacquer remover, etc. Hand sanitizers
Category 5D	0.09259719 %	Baby cream/lotion, baby oil, baby powders and talc
Category 6	0 %	Toothpaste Mouthwash, including breath sprays Toothpowder, strips, mouthwash tablets
Category 7A	1.1243944 %	Hair permanent or other hair chemical treatments (rinse-off) (e.g. relaxers), including rinse-off hair dyes
Category 7B	1.1243944 %	Hair sprays of all types (pumps, aerosol sprays, etc.) Hair styling aids non sprays (mousse, gels, leave- on conditioners) Hair permanent or other hair chemical treatments (leave-on) (e.g. relaxers), including leave-on hair dyes Shampoo - Dry (waterless shampoo) Hair deodorizer, hair perfume*
Category 8	0.09259719 %	Intimate wipes Intimate deodorant spray Tampons Baby wipes Toilet paper (wet)
Category 9	3.2409015 %	Bar soap Shampoo of all type Cleanser for face (rinse-off) Conditioner (rinse-off) Liquid soap Body washes and shower gels of all types Baby wash, bath, shampoo Bath gels, foams, mousses, salts, oils and other products

		added to bathwater (such as bath bombs) Foot care products (feet are placed in a bath for soaking) Shaving creams of all types (stick, gels, foams, etc.) All depilatories (including facial) and waxes for mechanical hair removal Shampoos for pets
Category 10A	3.2409015 %	Hand wash laundry detergent (including concentrates) Laundry pre-treatment of all types (e.g.paste, sprays, sticks) Hand dishwashing detergent (including concentrates) Hard surface cleaners of all types (bathroom and kitchen cleansers,furniture polish, etc.) Machine laundry detergents with skin contact (e.g. liquids, powders) including concentrates Toilet seat wipes Fabric softeners of all types excluding fabric softener sheets Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics) Floor wax Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems), etc. Ironing water (Odorized distilled water) Dry cleaning kits (involving manual application on the textile)
Category 10B	11.90535245 %	Animal sprays - sprays applied to animals of all types Air freshener sprays, manual, including aerosol and pump Aerosol/spray insecticides
Category 11A	0.09259719 %	Feminine hygiene conventional pads,liners, interlabial pads Baby diapers Incontinence pant, pad Toilet paper (dry)
Category 11B	0.09259719 %	Tights with moisturizers Scented socks, gloves Facial tissues (dry tissues) Napkins Pillow spray Paper towels Wheat bags Facial masks (paper/protective) e.g.surgical masks not used as medical device Fertilizers, solid (pellet or powder)
Category 12	100 %	Candles of all types (including encased) Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods)

Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals, solid non aerosol car diffuser)

Air delivery systems

Cat litter

Cell phone cases

Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders)

Dry cleaning kits (placed in the dryer)

Dryer sheets and fabric softener sheets

Fuels

Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excluding aerosols/sprays

Joss sticks or incense sticks

Dishwash detergent and deodorizers - for machine wash

Olfactive board games

Paints

Plastic articles (excluding toys)

Scratch and sniff

Scent pack

Scent delivery system (using dry air technology)

Shoe polishes

Rim blocks (toilet)

Toilet gel

Scent beads

Information about presence and concentration of fragrance ingredients subject to IFRA Standards in the fragrance mixture (Christmas Spice V2 #EU23764F) is as follows:

Materials under the scope of IFRA Standards	CAS-No.	Recommendat ion from IFRA Standard:	Concentration (%) in fragrance mixture or finished product	Comment
Isoeugenol	97-54-1 5932-68-3	Restricted	0.00251	
Cinnamyl nitrile	1885-38-7 4360-47-8	Restricted	0.41	
Rose ketones	23696-85-7 23726-91-2 23726-92-3 23726-93-4 23726-94-5 24720-09-0 33673-71-1 35044-68-9 35087-49-1 39872-57-6 43052-87-5 57378-68-4	Restricted	0.1	

^{*}Actual use level or maximum use level

	70266-48-7 71048-82-3 59739-63-8 87064-19-5		
Benzaldehyde	100-52-7	Restricted	0.24104
α-Methyl cinnamic aldehyde	101-39-3	Restricted	6.89
Cinnamic alcohol	104-54-1	Restricted	0.000281
Cinnamic aldehyde	104-55-2	Restricted	15.11925
Geraniol	106-24-1	Restricted	0.000041
Benzyl benzoate	120-51-4	Restricted	0.00008
Coumarin	91-64-5	Restricted	1.223401
Methyl eugenol	93-15-2	Restricted	0.00243
Eugenol	97-53-0	Restricted	6.24382
4-(4-Hydroxyphenyl)butan-2-one	5471-51-2	Restricted	0.32
Limonene	138-86-3 7705-14-8 5989-27-5 5989-54-8	Specification	7.743769
Linalool	126-90-9 126-91-0 78-70-6	Specification	0.496105

Signature Date

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/20/2018 Revision date: 7/8/2025 Supersedes version of: 8/11/2023 Version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : CHRISTMAS SPICE V2 #EU23764F

UFI : P8T3-0295-800W-FH02

Product code : EU23764F

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use,Industrial use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.3. Details of the supplier of the safety data sheet

1.4. Emergency telephone number

Emergency number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2
H315
Serious eye damage/eye irritation, Category 2
H319
Skin sensitisation, Category 1
H317
Aspiration hazard, Category 1
H304
Hazardous to the aquatic environment – Chronic Hazard,

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP) : Danger

7/8/2025 (Revision date) EN (English) 1/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Cinnamic aldehyde; Orange Oil; alpha-Methylcinnamic aldehyde; Eugenol; Clove Leaf Oil;

COUMARIN; Linalool; Cinnamalva; beta-Caryophyllene; Methyl isoeugenol; Anisyl acetate;

Aldehyde C-16; Damascenone Total

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	7.51 – 15.05055	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Orange Oil	CAS-No.: 8028-48-6 EC-No.: 232-433-8	4.1 – 8.1034	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
alpha-Methylcinnamic aldehyde	CAS-No.: 101-39-3 EC-No.: 202-938-8 REACH-no: 01-2119538797- 21	3.4 – 6.8879	Skin Sens. 1, H317 Aquatic Chronic 1, H410
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	2.05 – 4.2543	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Clove Leaf Oil	CAS-No.: 8000-34-8 EC-No.: 616-772-2	1.2 – 2.431	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.60002 – 1.21554052	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.2 – 0.491873	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cinnamalva	CAS-No.: 1885-38-7 EC-No.: 217-552-5	0.2 – 0.4052	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.11 – 0.3039	Asp. Tox. 1, H304 Skin Sens. 1B, H317
Methyl isoeugenol	CAS-No.: 93-16-3 EC-No.: 202-224-6 REACH-no: 01-2120223689- 47	0.1 – 0.2431	Skin Sens. 1B, H317
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.1 – 0.2431	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 STOT SE 3, H335
	CAS-No.: 104-21-2 EC-No.: 203-185-8	0.1 – 0.2431	Skin Sens. 1, H317
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.1 – 0.2431	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Damascenone Total	CAS-No.: 23696-85-7 EC-No.: 245-833-2	0.1 – 0.1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.01 – 0.044577	Flam. Liq. 3, H226
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.01 – 0.044577	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0 – 0.0405	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.005 – 0.020262	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
p-Cymene substance with national workplace exposure limit(s) (DK, EE, LT, LV, SE)	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	0.001 – 0.008105	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0045	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0011	Flam. Liq. 3, H226
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.0001	Skin Corr. 1C, H314 Eye Dam. 1, H318

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	(0.001 < C < 0.01) EUH208 (0.01 ≤ C < 0.1) Skin Sens. 1; H317 (0.1 ≤ C < 100) Skin Sens. 1A; H317	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Descri	ption of	first aid	l measures
-------------	----------	-----------	------------

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/.... Wash contaminated clothing before reuse. Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off

and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse

immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Obtain

emergency medical attention. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. Risk of lung oedema.

7/8/2025 (Revision date) EN (English) 4/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Other information

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid breathing

dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking.

Avoid contact with skin and eyes. Wear personal protective equipment.

7/8/2025 (Revision date) EN (English) 5/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures

Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store locked up. Store in a well-

ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

HTP (OEL TWA) 25 ppm HTP (OEL STEL) 280 mg/m³ 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)				
HTP (OEL STEL) 280 mg/m³ 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Stovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	Finland - Occupational Exposure Limits				
HTP (OEL STEL) 280 mg/m³ 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	HTP (OEL TWA)	140 mg/m³			
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits		25 ppm			
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	HTP (OEL STEL)	280 mg/m³			
AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits		50 ppm			
BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	Germany - Occupational Exposure Limits (TRGS 90	00)			
values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	AGW (OEL TWA)	e t			
Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption					
OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	Chemical category	Skin notation, Skin sensitization			
5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	Slovenia - Occupational Exposure Limits				
OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	OEL TWA	28 mg/m³			
20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits		5 ppm			
OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	OEL STEL	112 mg/m³			
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits		20 ppm			
VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	OEL chemical category	Potential for cutaneous absorption			
30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	Spain - Occupational Exposure Limits				
OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits	VLA-ED (OEL TWA)	168 mg/m³			
Norway - Occupational Exposure Limits		30 ppm			
	OEL chemical category	Sensitizer, skin - potential for cutaneous absorption			
Grenseverdi (OEL TWA) 140 mg/m³	Norway - Occupational Exposure Limits				
	Grenseverdi (OEL TWA)	140 mg/m³			

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
Switzerland - Occupational Exposure Limit	s		
MAK (OEL TWA)	40 mg/m³		
	7 ppm		
KZGW (OEL STEL)	80 mg/m³		
	14 ppm		
OEL chemical category	Sensitizer		
.betaPinene (127-91-3)			
Belgium - Occupational Exposure Limits			
OEL TWA	20 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
	25 ppm		
TPRV (OEL STEL)	300 mg/m³		
	50 ppm		
Portugal - Occupational Exposure Limits			
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	113 mg/m³		
	20 ppm		
OEL chemical category	Sensitizer		
Sweden - Occupational Exposure Limits	Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³		
	25 ppm		
KGV (OEL STEL)	300 mg/m³		
	50 ppm		
OEL chemical category	Skin sensitizer		

Safety Data Sheet

.betaPinene (127-91-3)		
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH® TLV® TWA	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
.alphaPinene (80-56-8)	'	
Belgium - Occupational Exposure Limits		
OEL TWA	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	113 mg/m³	
	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
	25 ppm	
KGV (OEL STEL)	300 mg/m³	
	50 ppm	
OEL chemical category	Skin sensitizer	
Norway - Occupational Exposure Limits	·	
Grenseverdi (OEL TWA)	140 mg/m³	

Safety Data Sheet

.alphaPinene (80-56-8)		
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH® TLV® TWA	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	4.4 mg/m³	
	1 ppm	
HTP (OEL C)	17.4 mg/m³	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
p-Cymene (99-87-6)		
Denmark - Occupational Exposure Limits		
OEL TWA	135 mg/m³ (Methylisopropylbenzenes)	
	25 ppm (Methylisopropylbenzenes)	
OEL STEL	270 mg/m³ (Methylisopropylbenzenes)	
	50 ppm (Methylisopropylbenzenes)	
Estonia - Occupational Exposure Limits		
OEL TWA	140 mg/m³	
	25 ppm	
OEL STEL	190 mg/m³	
	35 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³ (Cymene (2, 3, 4-isomers mixture))	

Safety Data Sheet

p-Cymene (99-87-6)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	140 mg/m³	
	25 ppm	
TPRV (OEL STEL)	190 mg/m³	
	35 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	140 mg/m³	
	25 ppm	
KGV (OEL STEL)	190 mg/m³	
	35 ppm	
acetophenone (98-86-2)		
Belgium - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	10 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA	49 mg/m³	
	10 ppm	
OEL STEL	98 mg/m³	
	20 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	25 mg/m³	
	5 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	50 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	49 mg/m³	
	10 ppm	
OEL STEL	147 mg/m³ (calculated)	
	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	50 mg/m³	
NDSCh (OEL STEL)	100 mg/m³	

Safety Data Sheet

Pertugal - Occupational Exposure Limits CPEL TWA 100 mg/m² CPEL TWA 100 mg/m² CPEL TWA 100 mg/m² CPEL TWA 200 pm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 50 mg/m² 100 ppm USA - ACGIH - Occupational Exposure Limits CPEL TWA 10 ppm ACGIH TWA (MICHA) 10 ppm ACGIH TWA (MICHA) 10 pm/m² ACGIH TWA (MICHA) 10 mg/m² ACGIN TWA (MICHA) 10 mg/m² ACGIN TWA (MICHA) 10 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Limits (RESSE) CPL TWA 10 mg/m² Limits of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Limits of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Limits of damage to the embryo or fetus can be excluded when AGW and BGW values a	acetophenone (98-86-2)		
Romania - Occupational Exposure Limits OEL TWA 20 pm OEL STEL 200 mg/m² 41 pm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 20 pm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 30 pgm² 10 ppm SACIHA TUAN ALOCHIA TUAN ALOCHIA TUAN ALOCHIA TUAN ALOCHIA TUAN ALOCHIA TUAN ALOCHIA TUAN BUIgaria - Occupational Exposure Limits OEL TWA ASW (OEL TWA) BUIgaria - Occupational Exposure Limits (TRGS 900) ASW (OEL TWA) BUIGAR AROMAN A	Portugal - Occupational Exposure Limits		
OEL TWA 100 mg/m² OEL STEL 200 mg/m² Spain - Occupational Exposure Limits 4 ipm VLA-ED (OEL TWA) 50 mg/m² 10 ppm 10 ppm USA-ACCIH - Occupational Exposure Limits ACCIH-OCCUPATIONAL INTERIOR AIDentification occupational Exposure Limits COLL TWA Bulgaria - Occupational Exposure Limits (TROS 900-000) COLL TWA AGW (OEL TWA) 66 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) COLL TWA A Cocupational Exposure Limits COLL TWA 10 mg/m² COLL TWA 10 mg/m² COLL TWA 10 mg/m² COLL TWA 20 mg/m² COLL TWA 20 mg/m² COLL TWA 10 mg/m² COLL TWA 20 mg/m² OEL TWA 20 mg/m² COLL TWA 10 mg/m² COLL TWA 66 mg/m² (secosol, vapour	OEL TWA	10 ppm	
Del STEL 20 ppm QEL STEL 200 mgm³ 4 ppm Spain - Occupational Exposure Limits VIA-ED (DEL TWA) 50 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIHS TUV® TWA 10 ppm AIGURIA TO COLUPATIONAL TO COL	Romania - Occupational Exposure Limits		
OEL STEL 200 mg/m³ Spain - Occupational Exposure Limits 50 mg/m³ VLA-ED (OEL TWA) 50 mg/m³ 10 pm 10 pm AcGilHi® TLV® TWA 10 ppm Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 6 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits DEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits DEL TWA 10 mg/m³ DEL TWA 10 mg/m³ DEL TWA 10 mg/m³ DEL TWA 10 mg/m³ DEL TWA 100 mg/m³ DEL TWA 6 mg/m² (aerosol, vapour) DEL STEL 60 mg/m² (aerosol, vapour) OEL STEL 66 mg/m² (aerosol, vapour) DEL TWA 66 mg/m² (aerosol, vapour) DEL TWA	OEL TWA	100 mg/m³	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 50 mg/m³ 10 ppm USA- ACGIH - Occupational Exposure Limits ACGIH® TLV® TWA 10 ppm Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS) OEL TWA 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits Use TWA 10 mg/m³ CEL TWA 10 mg/m³ Romania - Occupational Exposure Limits Tis ppm OEL TWA 10 mg/m³ CEL TWA 10 mg/m³ Romania - Occupational Exposure Limits DEL TWA 10 mg/m³ DEL TWA 200 mg/m³ DEL TWA 66 mg/m³ (aerosol, vapour) DEL TWA 66 mg/m³ (aerosol, vapour) DEL TWA 66 mg/m³ (aerosol, vapour) D		20 ppm	
Spain - Occupational Exposure Limits 50 mg/m² USA - ACGIH - Occupational Exposure Limits ACGIH® ILV® TWA 10 ppm Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits (TRGS 900-10) CBL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900-10) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 mg/m³ Limits - Occupational Exposure Limits OEL TWA 10 mg/m³ OEL TWA 10 mg/m³ OEL TWA 100 mg/m³ OEL STEL 200 mg/m³ OEL STEL 200 mg/m³ OEL STEL 200 mg/m³ OEL STEL 66 mg/m³ (aerosol, vapour) OEL TWA 66 mg/m³ (aerosol, vapour) OEL TWA 66 mg/m³ (aerosol, vapour) <td c<="" td=""><td>OEL STEL</td><td>200 mg/m³</td></td>	<td>OEL STEL</td> <td>200 mg/m³</td>	OEL STEL	200 mg/m³
VIA-ED (OEL TWA) 50 mg/m³ USA - ACGIH-Occupational Exposure Limits ACGIH®TL V® TWA 10 ppm ACGIH®TL V® TWA 10 mg/m³ ACGIH®TL V® TWA 10 mg/m³ CEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 90") Semany - Occupational Exposure Limits (TRGS 90") CEL TWA 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits DEL TWA 10 mg/m³ CEL TWA 10 mg/m³ PREV (OEL TWA) 10 mg/m³ PREV (OEL TWA) 10 mg/m³ DEL TWA 10 mg/m³ DEL TWA 66 mg/m³ OEL STEL 20 mg/m³ Switzerland - Occupational Exposure Limits DEL TWA 66 mg/m³ (aerosol, vapour) DEL TWA 66 mg/m³ (aerosol, vapour) DEL TWA 66 mg/m³ (aerosol, vapour) DEL TWA 66 mg/m³ (aerosol, vapour) <td></td> <td>41 ppm</td>		41 ppm	
USA - ACGIH-0 Ccupational Exposure Limits ACGIH-0 TLV® TWA 10 pm AICCHOI C-10 (112-30-1) Bulgaria - Occupational Exposure Limits CEL TWA 10 pm/m² AGW (OEL TWA) 10 pm/m² BEW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW an	Spain - Occupational Exposure Limits		
NACIGH Occupational Exposure Limits ACIGH TLV® TWA AICHOI C-10 (112-30-1) Butgaria - Occupational Exposure Limits OEL TWA AICHON AICHO	VLA-ED (OEL TWA)	50 mg/m³	
ACGIH® TLV® TWA 10 ppm Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits DEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits PRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 10 mg/m³ Switzerland - Occupational Exposure Limits Finand - Occupational Exposure Limits AKK (OEL TWA) 10 mg/m³ 15 ppm OEL STEL 200 mg/m³ 30 ppm Switzerland - Occupational Exposure Limits KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³ 42 mg/m³		10 ppm	
Bulgaria - Occupational Exposure Limits 10 mg/m³	USA - ACGIH - Occupational Exposure Limits		
Bulgaria - Occupational Exposure Limits OEL TWA 0EL TWA 6Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	ACGIH® TLV® TWA	10 ppm	
OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 9000) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Lithuania - Occupational Exposure Limits 10 mg/m³ PRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits 15 ppm OEL STEL 200 mg/m³ OEL STEL 200 mg/m³ Switzerland - Occupational Exposure Limits 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) MKZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) Aldehyde C-6 (66-25-1) 10 ppm (aerosol, vapour) Finland - Occupational Exposure Limits 10 ppm (aerosol, vapour) Finland - Occupational Exposure Limits 42 mg/m³	Alcohol C-10 (112-30-1)		
AGW (OEL TWA) ADJ (OR MINISTRE) BETWIN (OEL TWA) ADJ (OR MINISTRE	Bulgaria - Occupational Exposure Limits		
AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA) 100 mg/m³ 15 ppm OEL TWA 100 mg/m³ 15 ppm OEL STEL 200 mg/m³ 30 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³ 42 mg/m³ 42 mg/m³	OEL TWA	10 mg/m³	
BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits DEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 100 mg/m³ 15 ppm OEL STEL 200 mg/m³ 30 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³ 42 mg/m³ 42 mg/m³	Germany - Occupational Exposure Limits (TRGS 90	0)	
values are observed)Latvia - Occupational Exposure LimitsDEL TWA10 mg/m³Romania - Occupational Exposure LimitsPRV (OEL TWA)100 mg/m³CEL TWA100 mg/m³15 ppmOEL STEL200 mg/m³Switzerland - Occupational Exposure LimitsMAK (OEL TWA)66 mg/m³ (aerosol, vapour)KZGW (OEL STEL)66 mg/m³ (aerosol, vapour)KZGW (OEL STEL)Aldehyde C-6 (66-25-1)Finland - Occupational Exposure LimitsHTP (OEL STEL)42 mg/m³	AGW (OEL TWA)		
DEL TWA 10 mg/m³ IPRV (DEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits DEL TWA 100 mg/m³ 15 ppm 15 ppm DEL STEL 200 mg/m³ 30 ppm Switzerland - Occupational Exposure Limits MAK (DEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) 10 ppm (aerosol, vapour) 11 ppm (aerosol, vapour) 12 ppm (aerosol, vapour) 13 ppm (aerosol, vapour) 14 ppm (aerosol, vapour) 15 ppm (aerosol, vapour) 16 ppm (aerosol, vapour) 17 ppm (aerosol, vapour) 18 ppm (aerosol, vapour) 19 ppm (aerosol, vapour) 10 ppm (aerosol, vapour)			
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 100 mg/m³ 15 ppm 200 mg/m³ 30 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) MAK (OEL STEL) 66 mg/m³ (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 100 mg/m³ 15 ppm 200 mg/m³ 30 ppm 30 ppm Switzerland - Occupational Exposure Limits 66 mg/m³ (aerosol, vapour) MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³	OEL TWA	10 mg/m³	
Romania - Occupational Exposure Limits OEL TWA 100 mg/m³ 15 ppm OEL STEL 200 mg/m³ 30 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³	Lithuania - Occupational Exposure Limits		
OEL TWA 100 mg/m³ 15 ppm OEL STEL 200 mg/m³ 30 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³	IPRV (OEL TWA)	10 mg/m³	
15 ppm	Romania - Occupational Exposure Limits		
OEL STEL OEL STEL OEL STEL 200 mg/m³ 30 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³	OEL TWA	100 mg/m³	
Switzerland - Occupational Exposure Limits MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³		15 ppm	
Switzerland - Occupational Exposure Limits MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³	OEL STEL	200 mg/m³	
MAK (OEL TWA) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) 66 mg/m³ (aerosol, vapour) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³		30 ppm	
KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³	Switzerland - Occupational Exposure Limits		
KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³	MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³		10 ppm (aerosol, vapour)	
Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³	KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³		10 ppm (aerosol, vapour)	
HTP (OEL STEL) 42 mg/m³	Aldehyde C-6 (66-25-1)		
	Finland - Occupational Exposure Limits		
10 ppm	HTP (OEL STEL)	42 mg/m³	
		10 ppm	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)	
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	40 mg/m³
NDSCh (OEL STEL)	80 mg/m³
Caproic acid (142-62-1)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available
Not available

Flammability : Not applicable, Combustible liquid

Lower explosion limit : Not available Upper explosion limit : Not available : 84 °€ Flash point : Not available Auto-ignition temperature Decomposition temperature Not available рΗ Not available Viscosity, kinematic : 20.5 mm²/s Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.001928688 mm Hg (calculated value)

Vapour pressure at 50° C : Not available Density : Not available Relative density : ≈ 0.97 Relative vapour density at 20° C : Not available Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

VOC content : 8.80763868 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Combustible liquid. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Cinnamic aldehyde (104-55-2)

LD50 oral rat 2220 mg/kg (Source: NLM_CIP)

Safety Data Sheet

Cinnamic aldehyde (104-55-2)		
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
LD50 dermal	1260 mg/kg	
Orange Oil (8028-48-6)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
alpha-Methylcinnamic aldehyde (101-39-3)		
LD50 oral rat	2050 mg/kg (Source: NLM_CIP)	
LD50 oral	2050 mg/kg	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.58 mg/l/4h	
Clove Leaf Oil (8000-34-8)		
LD50 oral rat	1370 mg/kg (Source: NZ_CCID)	
LD50 oral	2650 mg/kg bodyweight	
LD50 dermal rabbit	1200 mg/kg (Source: NLM_CIP)	
LD50 dermal	2500 mg/kg bodyweight	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Linalool (78-70-6)		
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)	
LD50 oral	2790 mg/kg	
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)	
Cinnamalva (1885-38-7)		
LD50 oral	100 mg/kg bodyweight	
LD50 dermal	1100 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	

Safety Data Sheet

Respiratory or skin sensitisation

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.alphaPinene (80-56-8)	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)
Methyl isoeugenol (93-16-3)	
LD50 oral rat	2500 mg/kg (Source: NLM_CIP)
LD50 oral	2500 mg/kg
benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	< 5 mg/l/4h
(104-21-2)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
p-Cymene (99-87-6)	
LD50 oral rat	4750 mg/kg (Source: NLM_CIP)
LD50 oral	4750 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat	> 9.7 mg/l (Exposure time: 5 h Source: EU_CLH)
LC50 Inhalation - Rat (Vapours)	9.7 mg/l/4h
Damascenone Total (23696-85-7)	
LC50 Inhalation - Rat (Dust/Mist)	2.93 mg/l
acetophenone (98-86-2)	
LD50 oral rat	2081 mg/kg (Source: ECHA_API)
LD50 dermal rat	3300 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h Source: CHEMVIEW)
Alcohol C-10 (112-30-1)	
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)
Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)
Caproic acid (142-62-1)	
LD50 oral rat	3 g/kg (Source: NLM_HSDB)
LD50 dermal rabbit	630 mg/kg (Source: NLM_HSDB)
Skin corrosion/irritation :	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.

: May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Eugenol (97-53-0)

IARC group 3 - Not classifiable

COUMARIN (91-64-5)

IARC group 3 - Not classifiable

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

benzaldehyde (100-52-7)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : May be fatal if swallowed and enters airways.

CHRISTMAS SPICE V2 #EU23764F

Viscosity, kinematic 20.5 mm²/s

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Hydrocarbon Yes

.beta.-Pinene (127-91-3)

Hydrocarbon Yes

.alpha.-Pinene (80-56-8)

Hydrocarbon Yes

beta-Caryophyllene (87-44-5)

Hydrocarbon Yes

p-Cymene (99-87-6)

Hydrocarbon Yes

11.2. Information on other hazards

Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.

Ecology - water : Toxic to aquatic life with long lasting effects.

: Not classified

Hazardous to the aquatic environment, short-term

acute)

: Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, long-term (chronic)

7/8/2025 (Revision date) EN (English) 16/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eugenel (07 52 0)	
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
benzaldehyde (100-52-7)	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
Aldehyde C-16 (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)
acetophenone (98-86-2)	
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
Alcohol C-10 (112-30-1)	
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Aldehyde C-6 (66-25-1)	
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Caproic acid (142-62-1)	
LC50 - Fish [1]	306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
12.2 Persistance and degradability	

12.2. Persistence and degradability

CHRISTMAS SPICE V2 #EU23764F	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.

Safety Data Sheet

Cinnamic aldehyde (104-55-2)	
Persistence and degradability	Rapidly degradable
Orange Oil (8028-48-6)	
Persistence and degradability	Rapidly degradable
alpha-Methylcinnamic aldehyde (101-39-3)	
Persistence and degradability	Rapidly degradable
Eugenol (97-53-0)	
Persistence and degradability	Rapidly degradable
Clove Leaf Oil (8000-34-8)	
Persistence and degradability	Rapidly degradable
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable
Linalool (78-70-6)	
Persistence and degradability	Rapidly degradable
Cinnamalva (1885-38-7)	
Persistence and degradability	Rapidly degradable
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
Persistence and degradability	Rapidly degradable
.betaPinene (127-91-3)	
Persistence and degradability	Rapidly degradable
.alphaPinene (80-56-8)	
Persistence and degradability	Rapidly degradable
beta-Caryophyllene (87-44-5)	
Persistence and degradability	Rapidly degradable
Methyl isoeugenol (93-16-3)	
Persistence and degradability	Rapidly degradable
benzaldehyde (100-52-7)	
Persistence and degradability	Rapidly degradable
(104-21-2)	
Persistence and degradability	Rapidly degradable
Aldehyde C-16 (77-83-8)	
Persistence and degradability	Rapidly degradable
p-Cymene (99-87-6)	
Persistence and degradability	Rapidly degradable
Damascenone Total (23696-85-7)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetophenone (98-86-2)		
Persistence and degradability	Rapidly degradable	
Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
Caproic acid (142-62-1)		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential

12.3. Bioaccumulative potential		
CHRISTMAS SPICE V2 #EU23764F		
Bioaccumulative potential	Not established.	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
COUMARIN (91-64-5)		
Partition coefficient n-octanol/water (Log Pow)	≥ 1.91 – ≤ 1.51 (at 25 °C (at pH 7)	
Linalool (78-70-6)		
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)	
Cinnamalva (1885-38-7)		
Partition coefficient n-octanol/water (Log Pow) 1.96		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5	5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
.betaPinene (127-91-3)		
Partition coefficient n-octanol/water (Log Pow) 4.4 (at 25 °C)		
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
beta-Caryophyllene (87-44-5)		
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)	
benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
(104-21-2)		
Partition coefficient n-octanol/water (Log Pow)	1.9 (at 35 °C)	
Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

p-Cymene (99-87-6)		
Partition coefficient n-octanol/water (Log Pow) 4.8 (at 20 °C (at pH 7)		
Partition coefficient n-octanol/water (Log Kow)	0	
acetophenone (98-86-2)		
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65	
Alcohol C-10 (112-30-1)		
Partition coefficient n-octanol/water (Log Pow) 4.5 (at 25 °C (at pH 6)		
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	
Caproic acid (142-62-1)		
Partition coefficient n-octanol/water (Log Pow) 1.88		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

CHRISTMAS SPICE V2 #EU23764F	
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological waste information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment. Hazardous waste due to toxicity.
- : HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
 - HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
 - HP13 "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde)	Environmentally hazardous substance, liquid, n.o.s. (alpha-Methylcinnamic aldehyde)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde)
Transport document descri	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (alpha- Methylcinnamic aldehyde), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
**************************************	**************************************		**************************************	**************************************
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n availahle			I

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5l Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

7/8/2025 (Revision date) EN (English) 21/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates : 90

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

: 5 L Limited quantities (IMDG) : E1 Excepted quantities (IMDG) : LP01, P001 Packing instructions (IMDG) : PP1 Special packing provisions (IMDG) IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Defenence code	Amplicable on	Futuratida ou dossibilita
Reference code	Applicable on	Entry title or description
3(a)	Orange Oil; d-Limonene; .betaPinene; .alpha Pinene; p-Cymene; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	CHRISTMAS SPICE V2 #EU23764F; Cinnamic aldehyde; Orange Oil; alpha-Methylcinnamic aldehyde; Eugenol; Clove Leaf Oil; Linalool; Cinnamalva; d-Limonene; .alphaPinene; beta- Caryophyllene; Methyl isoeugenol; Benzaldehyde; Anisyl acetate; Aldehyde C-16; p-Cymene; Damascenone Total; Acetophenone; Caproic acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	CHRISTMAS SPICE V2 #EU23764F; Cinnamic aldehyde; Orange Oil; alpha-Methylcinnamic aldehyde; d-Limonene; .alphaPinene; Aldehyde C-16; p-Cymene; Damascenone Total; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 8.80763868 % (calculated value)(CARB VOC) (%w/w)

7/8/2025 (Revision date) EN (English) 23/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

VOC ordinance (ChemVOCFarbV) : VOC content : 8.80763868 % (calculated value)(CARB VOC)

(%w/w)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Major Accidents Ordinance (12. BlmSchV) : Is not subject to the Major Accidents Ordinance (12. BlmSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange Oil is listed

SZW-lijst van mutagene stoffen : Orange Oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains {0 message≤name of sensitising substance> fieldvalue=_SENSITIZER_COMPONENTS}. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.