REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Issue date(DD/MM/YEAR): 10/02/2025 Revision date:

DECLARATION OF COMPLIANCE FOR PERFUME COMPOUNDS (DCP)

The adoption of the 7th amendement of the European Cosmetic Directive 76/768/EEC requires any cosmetic product containing any of 26 raw materials identified by the Scientific Committee on Cosmetic Products and Non-Food Products intended for Consumers as likely to cause a contact allergy when present above certain trigger levels to be declared on the package label.

Version: 1.0

ALLERGENS				
Name of common ingredients glossary	CAS-No.	Allergen % in product		
Linalool	78-70-6	4.77		
d-Limonene	5989-27-5	0.32		
Benzyl benzoate	120-51-4	0.0617		
Citronellol	106-22-9	3.75		
.alphaHexyl cinnamic aldehyde	101-86-0	13.62		
Citral	5392-40-5	0.68		
Benzyl salicylate	118-58-1	0.0009		

CERTIFICATE OF CONFORMITY OF FRAGRANCE MIXTURES WITH IFRA STANDARDS

This certificate assesses the conformity of the fragrance mixture with IFRA Standards and provides restrictions for use as necessary. It is based only on those materials subject to IFRA Standards for the toxicity endpoint(s) described in each Standard.

This Certificate does therefore not replace a comprehensive safety assessment of the fragrance mixture.

CERTIFYING PARTY	:
------------------	---

CERTIFICATE DELIVERED TO:

SCOPE OF THE CERTIFICATE: Product: MAGNOLIA #EU55134F

Compulsory information:

We certify that the above mixture is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 51 Amendment to the IFRA Code of Practice (published June, 2023) provided it is used in the following class(es) at a maximum concentration level of:

IFRA Category(ies) [see Table 10 in Guidance for the use of IFRA Standards for details]	Level of use (%)*	Product application
Category 1	0 %	Lip Products of all types (solid and liquid lipsticks, balms, clear or colored, etc.) Children's toys
Category 2	2.93501048 %	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deocologne, etc.) Body sprays (including body mist)
Category 3	0.7966457 %	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eye care and moisturizer Facial make up and foundation Make-up remover for face and eyes Nose pore strips Wipes or refreshing tissues for face, neck, hands, body

		Body and face paint (for children and adults) Facial masks for face and around the eyes
Category 4	19.91614256%	Hydroalcoholic and non-hydroalcoholic fine fragrance of all types (Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, etc.), aftershaves of all types (except creams and balms) Fragranced bracelets Ingredients of perfume kits and fragrance mixtures for cosmetic kits Scent pads, foil packs Scent strips for hydroalcoholic products
Category 5A	9.43396226 %	Body creams, oils, lotions of all types Foot care products (creams and powders) Insect repellent (intended to be applied to the skin) All powders and talc (excluding baby powders and talc)
Category 5B	1.5932914 %	Facial toner Facial moisturizers and creams (including care products for beard and mustache)
Category 5C	1.5932914 %	Hand cream Nail care products including cuticle creams, nail lacquer remover, etc. Hand sanitizers
Category 5D	0.52410901 %	Baby cream/lotion, baby oil, baby powders and talc
Category 6	0 %	Toothpaste Mouthwash, including breath sprays Toothpowder, strips, mouthwash tablets
Category 7A	1.5932914 %	Hair permanent or other hair chemical treatments (rinse-off) (e.g. relaxers), including rinse-off hair dyes
Category 7B	1.5932914 %	Hair sprays of all types (pumps, aerosol sprays, etc.) Hair styling aids non sprays (mousse, gels, leave- on conditioners) Hair permanent or other hair chemical treatments (leave-on) (e.g. relaxers), including leave-on hair dyes Shampoo - Dry (waterless shampoo) Hair deodorizer, hair perfume*
Category 8	0.52410901 %	Intimate wipes Intimate deodorant spray Tampons Baby wipes Toilet paper (wet)
Category 9	4.82180294 %	Bar soap Shampoo of all type Cleanser for face (rinse-off) Conditioner (rinse-off) Liquid soap Body washes and shower gels of all types Baby wash, bath, shampoo Bath gels, foams, mousses, salts, oils and other products

		added to bathwater (such as bath bombs) Foot care products (feet are placed in a bath for soaking) Shaving creams of all types (stick, gels, foams, etc.) All depilatories (including facial) and waxes for mechanical hair removal Shampoos for pets
Category 10A	4.82180294 %	Hand wash laundry detergent (including concentrates) Laundry pre-treatment of all types (e.g.paste, sprays, sticks) Hand dishwashing detergent (including concentrates) Hard surface cleaners of all types (bathroom and kitchen cleansers,furniture polish, etc.) Machine laundry detergents with skin contact (e.g. liquids, powders) including concentrates Toilet seat wipes Fabric softeners of all types excluding fabric softener sheets Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics) Floor wax Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems), etc. Ironing water (Odorized distilled water) Dry cleaning kits (involving manual application on the textile)
Category 10B	15.09433962 %	Animal sprays - sprays applied to animals of all types Air freshener sprays, manual, including aerosol and pump Aerosol/spray insecticides
Category 11A	0.52410901 %	Feminine hygiene conventional pads,liners, interlabial pads Baby diapers Incontinence pant, pad Toilet paper (dry)
Category 11B	0.52410901 %	Tights with moisturizers Scented socks, gloves Facial tissues (dry tissues) Napkins Pillow spray Paper towels Wheat bags Facial masks (paper/protective) e.g.surgical masks not used as medical device Fertilizers, solid (pellet or powder)
Category 12	100 %	Candles of all types (including encased) Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods)

Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals, solid non aerosol car diffuser)

Air delivery systems

Cat litter

Cell phone cases

Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders)

Dry cleaning kits (placed in the dryer)

Dryer sheets and fabric softener sheets

Fuels

Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excluding aerosols/sprays

Joss sticks or incense sticks

Dishwash detergent and deodorizers - for machine wash

Olfactive board games

Paints

Plastic articles (excluding toys)

Scratch and sniff

Scent pack

Scent delivery system (using dry air technology)

Shoe polishes Rim blocks (toilet)

Toilet gel Scent beads


This product contains substances (Dimethyl anthranilate(85-91-6)) identified for having the potential of forming nitrosamines in nitrosating systems

Information about presence and concentration of fragrance ingredients subject to IFRA Standards in the fragrance mixture (MAGNOLIA #EU55134F) is as follows:

Materials under the scope of IFRA Standards	CAS-No.	Recommendat ion from IFRA Standard:	Concentration (%) in fragrance mixture or finished product	Comment
Estragole	140-67-0 1407-27-8 77525-18-9	Restricted	0.0054	
1-(1,2,3,4,5,6,7,8 Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone (OTNE)	54464-57-2 54464-59-4 68155-66-8 68155-67-9	Restricted	2.02	
2-Hexenal	6728-26-3 505-57-7 16635-54-4	Restricted	0.0027	

^{*}Actual use level or maximum use level

Citral	106-26-3 141-27-5 5392-40-5	Restricted	0.68
Citronellol	106-22-9 1117-61-9 141-25-3 26489-01-0 6812-78-8 68916-43-8 7540-51-4	Restricted	3.75
Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers)	27939-60-2 35145-02-9 36635-35-5 67801-65-4 68039-48-5 68039-49-6 68084-52-6 68737-61-1	Restricted	0.7269
Rose ketones	23696-85-7 23726-91-2 23726-92-3 23726-93-4 23726-94-5 24720-09-0 33673-71-1 35044-68-9 35087-49-1 39872-57-6 43052-87-5 57378-68-4 70266-48-7 71048-82-3 59739-63-8 87064-19-5	Restricted	0.068
Longifolene	475-20-7 16846-09-6 19067-29-9	Restricted	0.00027
Citronellyl acetate	150-84-5 67601-05-2 141-11-7	Restricted	1.7
alpha-Hexyl cinnamic aldehyde	101-86-0	Restricted	13.62
Benzyl salicylate	118-58-1	Restricted	0.0009
Benzyl benzoate	120-51-4	Restricted	0.0617
α-Methyl-1,3-benzodioxole-5-propionaldehyde (MMDHCA)	1205-17-0	Restricted	0.34
Hexyl salicylate	6259-76-3	Restricted	2.2814
Methyl N-methylanthranilate	85-91-6	Restricted	0.068
Methoxy dicyclopentadiene carboxaldehyde (Scentenal)	86803-90-9	Restricted	0.27
Cyclamen aldehyde	103-95-7	Restricted	4.77
Isopentylcyclohexanone	16587-71-6	Restricted	0.068
cis-3-Hexenyl methyl carbonate	67633-96-9	Restricted	0.068
Limonene	138-86-3 7705-14-8 5989-27-5 5989-54-8	Specification	0.32
Linalool	126-90-9 126-91-0 78-70-6	Specification	4.77



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 2/10/2025 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

 Trade name
 : MAGNOLIA #EU55134F

 UFI
 : A2KP-JC1M-Q00M-V7MC

Product code : EU55134F

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Use of the substance/mixture : Perfumes, fragr Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS07

GHS09

Signal word (CLP) : Warning

2/10/2025 (Issue date) EN (English) 1/27

Safety Data Sheet

Hazard statements (CLP)

Precautionary statements (CLP)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Hexyl cinnamic aldehyde; Linalool; Linalyl acetate; Cyclamal; Citronellol Pure; Hexyl

salicylate; Floralozone; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-

naphthalenyl)ethanone; Triplal (Vertocitral); citral; Helional; (R)-p-mentha-1,8-diene; d-limonene; Pine Needle Oil; reaction mass of: (1RS, 2RS,3SR, 6RS, 9SR)-9-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 3RS, 6RS, 8SR)-8-

methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 4SR, 6RS, 8SR)-8-

methoxytricyclo[5.2.1.0(2,6)]decane-4-carbaldehyde

: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	6.8 – 13.62	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	2.6 – 5.11	Aquatic Chronic 3, H412
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	2.4 – 4.77	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	2.4 – 4.77	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	2.4 – 4.77	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	2 – 4.09	Aquatic Chronic 2, H411
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	1.9 – 3.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	1.9 – 3.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	1.6 – 3.15	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	1.2 – 2.4	Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	1.1 – 2.2814	Skin Sens. 1B, H317 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Floralozone	CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796- 34	1 – 2.04	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1 – 2.02	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Citronellyl acetate (mixed Isomers)	CAS-No.: 150-84-5 EC-No.: 205-775-0	0.9 – 1.7	Aquatic Chronic 2, H411 Skin Irrit. 2, H315
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.4 – 0.7269	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.3 – 0.68	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.2 – 0.34	Flam. Liq. 3, H226

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.2 – 0.34	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.2 – 0.32	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Pine Needle Oil	CAS-No.: 8002-09-3 EC-No.: 306-895-7	0.1 – 0.27	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
reaction mass of: (1RS, 2RS,3SR, 6RS, 9SR)-9-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 3RS, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 4SR, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0(2,6)]decane-4-carbaldehyde	CAS-No.: 86803-90-9 EC-No.: 617-923-5 EC Index-No.: 605-034-00-5	0.1 – 0.27	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.004	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.001	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

First-aid measures after eye contact

First-aid measures after ingestion

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

Remove affected clothing and wash all exposed skin area with mild soap and water.

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

chemical fire. Prevent fire fighting water from entering the environment.

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes.

Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

2/10/2025 (Issue date) EN (English) 5/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table

:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)			
Belgium - Occupational Exposure Limits			
OEL TWA	62 mg/m³		
	10 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA	61 mg/m³		
	10 ppm		
OEL STEL	122 mg/m³		
	20 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA	10 ppm		
OEL STEL	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA 5 mg/m³			

Safety Data Sheet

Benzyl acetate (140-11-4)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm	
OEL STEL	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	

Safety Data Sheet

isopentyl acetate (123-92-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	270 mg/m³
	50 ppm
IOEL STEL	540 mg/m³
	100 ppm
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))
	50 ppm (Pentyl acetate (all isomers))
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)
	100 ppm (Pentylacetate)
Belgium - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	270 mg/m³
	50 ppm
KGVI (OEL STEL)	540 mg/m³
	100 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Denmark - Occupational Exposure Limits	
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)
	50 ppm (Amyl acetate, all isomers)
OEL STEL	540 mg/m³
	100 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	I .

Safety Data Sheet

Tinland - Occupational Exposure Limits	isopentyl acetate (123-92-2)		
HTP (OEL TWA)		100 ppm	
S0 ppm (Pentyl acetate)	Finland - Occupational Exposure Limits		
HTP (OEL STEL)	HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)	
100 ppm		50 ppm (Pentyl acetate)	
France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) 50 ppm (restrictive limit) 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) AGW (OEL TWA) 270 mg/m³ 50 ppm 50 ppm OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 6 Greece - Occupational Exposure Limits 530 mg/m³ OEL TWA 530 mg/m³ 100 ppm 00 ppm OEL STEL 800 mg/m³ Hungary - Occupational Exposure Limits 270 mg/m³ OK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 0EL TWA OEL TWA 260 mg/m³ 0E ppm 0EL TWA OEL STEL 520 mg/m³ 100 ppm 100 ppm	HTP (OEL STEL)	540 mg/m³	
VME (OEL TWA) 270 mg/m³ (restrictive limit) 50 ppm (restrictive limit) 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) 100 ppm (restrictive limit) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 300) 270 mg/m³ AGW (OEL TWA) 270 mg/m³ Gibraltar - Occupational Exposure Limits 270 mg/m³ OEL TWA 540 mg/m³ OEL STEL 540 mg/m³ Greece - Occupational Exposure Limits 530 mg/m³ OEL STEL 800 mg/m³ Hungary - Occupational Exposure Limits 270 mg/m³ OK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA 260 mg/m³ OEL TWA 260 mg/m³ OEL TWA 250 mg/m³ 100 ppm 100 ppm		100 ppm	
S0 ppm (restrictive limit) VLE (OEL C/STEL)	France - Occupational Exposure Limits		
VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) 270 mg/m³ AGW (OEL TWA) 270 mg/m³ 50 ppm 50 ppm Gibraltar - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Greece - Occupational Exposure Limits 640 mg/m³ OEL TWA 530 mg/m³ 100 ppm 100 ppm OEL STEL 800 mg/m³ Hungary - Occupational Exposure Limits 480 mg/m³ OK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 60 mg/m³ OEL TWA 260 mg/m³ 50 ppm 50 ppm OEL STEL 520 mg/m³ 100 ppm 100 ppm 1taly - Occupational Exposure Limits 270 mg/m³	VME (OEL TWA)	270 mg/m³ (restrictive limit)	
100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900)		50 ppm (restrictive limit)	
Cermany - Occupational Exposure Limits (TRGS 900) 270 mg/m³ 50 ppm	VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
AGW (OEL TWA) 270 mg/m³ 50 ppm		100 ppm (restrictive limit)	
S0 ppm S	Germany - Occupational Exposure Limits (TRGS 90	00)	
Gibraltar - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm OEL TWA 530 mg/m³ 100 ppm 100 ppm OEL STEL 800 mg/m³ Hungary - Occupational Exposure Limits AK (OEL TWA) CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 50 ppm OEL TWA 260 mg/m³ 50 ppm 100 ppm Italy - Occupational Exposure Limits 220 mg/m³ OEL TWA 270 mg/m³ OEL TWA 270 mg/m³	AGW (OEL TWA)	270 mg/m³	
OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Greece - Occupational Exposure Limits 530 mg/m³ OEL TWA 800 mg/m³ 150 ppm 150 ppm Hungary - Occupational Exposure Limits 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA 260 mg/m³ 50 ppm 50 ppm OEL STEL 520 mg/m³ 100 ppm 1taly - Occupational Exposure Limits OEL TWA 270 mg/m³		50 ppm	
50 ppm 50 ppm 540 mg/m³ 100 ppm	Gibraltar - Occupational Exposure Limits		
OEL STEL 540 mg/m³ / 100 ppm Greece - Occupational Exposure Limits 530 mg/m³ / 100 ppm OEL STEL 800 mg/m³ / 150 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) CK (OEL STEL) 540 mg/m³ / 150 ppm Ireland - Occupational Exposure Limits 540 mg/m³ / 150 ppm OEL TWA 260 mg/m³ / 150 ppm OEL STEL 520 mg/m³ / 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ / 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ / 100 ppm	OEL TWA	270 mg/m³	
100 ppm		50 ppm	
Greece - Occupational Exposure Limits 530 mg/m³ OEL TWA 530 mg/m³ 100 ppm 100 ppm OEL STEL 800 mg/m³ Hungary - Occupational Exposure Limits 270 mg/m³ CK (OEL TWA) 270 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA 260 mg/m³ OEL STEL 520 mg/m³ Italy - Occupational Exposure Limits 100 ppm Italy - Occupational Exposure Limits 270 mg/m³	OEL STEL	540 mg/m³	
OEL TWA 530 mg/m³ 100 ppm 100 ppm OEL STEL 800 mg/m³ 150 ppm 150 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 260 mg/m³ 50 ppm 520 mg/m³ 100 ppm 1taly - Occupational Exposure Limits OEL TWA 270 mg/m³		100 ppm	
100 ppm 100 ppm 150 ppm 15	Greece - Occupational Exposure Limits		
OEL STEL 800 mg/m³ Hungary - Occupational Exposure Limits AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 260 mg/m³ 50 ppm OEL STEL 520 mg/m³ Italy - Occupational Exposure Limits OEL TWA 270 mg/m³	OEL TWA	530 mg/m³	
150 ppm		100 ppm	
Hungary - Occupational Exposure Limits	OEL STEL	800 mg/m³	
AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 260 mg/m³ 50 ppm OEL STEL 520 mg/m³ 100 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³		150 ppm	
CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA 260 mg/m³ 50 ppm 520 mg/m³ 100 ppm 100 ppm Italy - Occupational Exposure Limits 270 mg/m³	Hungary - Occupational Exposure Limits		
Ireland - Occupational Exposure Limits OEL TWA 260 mg/m³ 50 ppm 50 ppm OEL STEL 520 mg/m³ 100 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³	AK (OEL TWA)	270 mg/m³	
OEL TWA 260 mg/m³ 50 ppm 50 ppm OEL STEL 520 mg/m³ 100 ppm 100 ppm Italy - Occupational Exposure Limits 270 mg/m³	CK (OEL STEL)	540 mg/m³	
50 ppm 520 mg/m³ 100 ppm			
OEL STEL 520 mg/m³ 100 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³	OEL TWA	260 mg/m³	
100 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³		50 ppm	
Italy - Occupational Exposure Limits OEL TWA 270 mg/m³	OEL STEL	520 mg/m³	
OEL TWA 270 mg/m³		100 ppm	
	Italy - Occupational Exposure Limits		
50 ppm	OEL TWA	270 mg/m³	
		50 ppm	
OEL STEL 540 mg/m³	OEL STEL	540 mg/m³	
100 ppm		100 ppm	
Latvia - Occupational Exposure Limits			
OEL TWA 270 mg/m³	OEL TWA	270 mg/m³	

Safety Data Sheet

isopentyl acetate (123-92-2)	
	50 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	270 mg/m³
	50 ppm
TPRV (OEL STEL)	540 mg/m³
	100 ppm
Luxembourg - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Malta - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Netherlands - Occupational Exposure Limits	
TGG-15min (OEL STEL)	530 mg/m³
	98.1 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	250 mg/m³
NDSCh (OEL STEL)	500 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	270 mg/m³ (indicative limit value)
	50 ppm (indicative limit value (Pentyl acetate, all isomers)
OEL STEL	540 mg/m³ (indicative limit value)
	100 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	270 mg/m³
	50 ppm
NPHV (OEL C)	540 mg/m³
Slovenia - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm

Safety Data Sheet

isopentyl acetate (123-92-2)	
OEL STEL	540 mg/m³
	100 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
VLA-EC (OEL STEL)	540 mg/m³
	100 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)
	50 ppm (Pentyl acetates)
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)
	100 ppm (Pentyl acetates)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	260 mg/m³
	50 ppm
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)
	75 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)
	50 ppm (Pentyl acetate all isomers)
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)
	50 ppm (Pentyl acetate all isomers)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)
(R)-p-mentha-1,8-diene; d-limonene (5989-27	7-5)
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	140 mg/m³
	25 ppm
HTP (OEL STEL)	280 mg/m³
	50 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	28 mg/m³

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
	5 ppm
OEL STEL	112 mg/m³
	20 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	168 mg/m³
	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	40 mg/m³
	7 ppm
KZGW (OEL STEL)	80 mg/m³
	14 ppm
OEL chemical category	Sensitizer
Alcohol C-10 (112-30-1)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Germany - Occupational Exposure Limits (TRGS 90	0)
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Latvia - Occupational Exposure Limits	
Latvia - Occupational Exposure Limits OEL TWA	
	values are observed)
OEL TWA	values are observed)
OEL TWA Lithuania - Occupational Exposure Limits	values are observed) 10 mg/m³
OEL TWA Lithuania - Occupational Exposure Limits IPRV (OEL TWA)	values are observed) 10 mg/m³
OEL TWA Lithuania - Occupational Exposure Limits IPRV (OEL TWA) Romania - Occupational Exposure Limits	values are observed) 10 mg/m³ 10 mg/m³
OEL TWA Lithuania - Occupational Exposure Limits IPRV (OEL TWA) Romania - Occupational Exposure Limits	values are observed) 10 mg/m³ 10 mg/m³ 100 mg/m³
OEL TWA Lithuania - Occupational Exposure Limits IPRV (OEL TWA) Romania - Occupational Exposure Limits OEL TWA	values are observed) 10 mg/m³ 10 mg/m³ 100 mg/m³
OEL TWA Lithuania - Occupational Exposure Limits IPRV (OEL TWA) Romania - Occupational Exposure Limits OEL TWA	values are observed) 10 mg/m³ 100 mg/m³ 15 ppm 200 mg/m³

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)	
	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)
	10 ppm (aerosol, vapour)
Aldehyde C-6 (66-25-1)	
Finland - Occupational Exposure Limits	
HTP (OEL STEL)	42 mg/m³
	10 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	40 mg/m³
NDSCh (OEL STEL)	80 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available **Boiling point** : Not applicable Flammability : Not available Lower explosion limit : Not available Upper explosion limit : > 93.3 °C Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.002476633 mm Hg (calculated value)

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 11.9063 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

, , , , , , , , , , , , , , , , , , , ,	
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Linalool (78-70-6)	
LD50 oral	2790 mg/kg
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)
LD50 oral	3810 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)
LD50 oral	3020 mg/kg
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)
LD50 dermal	2650 mg/kg bodyweight

Safety Data Sheet

Phenylethyl alcohol (60-12-8)	
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)
LD50 oral	1610 mg/kg
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 4.63 mg/l/4h
beta-lonone (14901-07-6)	
LD50 oral rat	4590 mg/kg (Source: NLM_HSDB)
LD50 oral	3940 mg/kg bodyweight
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg (Source: ECHA)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Citronellyl acetate (mixed Isomers) (150-84-5)	
LD50 oral rat	6800 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	2330 mg/kg
citral (5392-40-5)	
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
Helional (1205-17-0)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
Pine Needle Oil (8002-09-3)	
LD50 oral rat	3200 mg/kg
LD50 oral	3200 mg/kg bodyweight
LD50 dermal rabbit	400 mg/kg
LD50 dermal	5000 mg/kg
LC50 Inhalation - Rat	> 3.79 mg/l/4h
reaction mass of: (1RS, 2RS,3SR, 6RS, 9SR)-9-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 3RS, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 4SR, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0(2,6)]decane-4-carbaldehyde (86803-90-9)	
LD50 oral rat	2800 mg/kg (Source: NLM_CIP)
LD50 oral	2800 mg/kg bodyweight
Alcohol C-10 (112-30-1)	
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)
Skin corrosion/irritation :	Causes skin irritation.
Serious eye damage/irritation :	Causes serious eye irritation.
Respiratory or skin sensitisation :	May cause an allergic skin reaction.
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
Hydrocarbon	Yes

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term :

(acute)

: Not classified

 $\label{thm:long-term} \hbox{Hazardous to the aquatic environment, long-term} \qquad : \ \hbox{Toxic to aquatic life with long lasting effects}.$

(chronic)		
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
Phenylethyl alcohol (60-12-8)		
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)	
Citronellyl acetate (mixed Isomers) (150-84-5)		
LC50 - Fish [1]	6.1 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

2/10/2025 (Issue date) EN (English) 17/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

citral (5392-40-5)		
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Pine Needle Oil (8002-09-3)		
EC50 - Crustacea [1]	17 – 28 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	

12.2. Persistence and degradability

	· ·		
MAGNOLIA #EU55134F			
Persistence and degradability	Not established.		
Hexyl cinnamic aldehyde (101-86-0)			
Persistence and degradability	Rapidly degradable		
Benzyl acetate (140-11-4)			
Persistence and degradability	Rapidly degradable		
Linalool (78-70-6)			
Persistence and degradability	Rapidly degradable		
Linalyl acetate (115-95-7)			
Persistence and degradability	Rapidly degradable		
Cyclamal (103-95-7)			
Persistence and degradability	Not established.		
Ethylene brassylate (105-95-3)			
Persistence and degradability	Rapidly degradable		
Dihydromyrcenol (18479-58-8)			
Persistence and degradability	Rapidly degradable		
Citronellol Pure (106-22-9)			
Persistence and degradability	Rapidly degradable		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phenylethyl alcohol (60-12-8)		
Persistence and degradability	Rapidly degradable	
beta-lonone (14901-07-6)		
Persistence and degradability	Rapidly degradable	
Hexyl salicylate (6259-76-3)		
Persistence and degradability	Rapidly degradable	
Floralozone (67634-15-5)		
Persistence and degradability	Rapidly degradable	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-	-2-naphthalenyl)ethanone (54464-57-2)	
Persistence and degradability	Rapidly degradable	
Citronellyl acetate (mixed Isomers) (150-84-5)		
Persistence and degradability	Rapidly degradable	
Triplal (Vertocitral) (68039-49-6)		
Persistence and degradability	Rapidly degradable	
citral (5392-40-5)		
Persistence and degradability	Rapidly degradable	
isopentyl acetate (123-92-2)		
Persistence and degradability	Rapidly degradable	
Helional (1205-17-0)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Persistence and degradability	Rapidly degradable	
Pine Needle Oil (8002-09-3)		
Persistence and degradability	Rapidly degradable	
reaction mass of: (1RS, 2RS,3SR, 6RS, 9SR)-9-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 3RS, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 4SR, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0(2,6)]decane-4-carbaldehyde (86803-90-9)		
Persistence and degradability	Rapidly degradable	
Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		

12.3. Bioaccumulative potential

MAGNOLIA #EU55134F	
Bioaccumulative potential Not established.	
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
Cyclamal (103-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)	
Bioaccumulative potential	Not established.	
Ethylene brassylate (105-95-3)		
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)	
Dihydromyrcenol (18479-58-8)		
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
Phenylethyl alcohol (60-12-8)		
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)	
beta-lonone (14901-07-6)		
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)	
Hexyl salicylate (6259-76-3)		
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)	
Citronellyl acetate (mixed Isomers) (150-84-5)		
Partition coefficient n-octanol/water (Log Pow)	4.9 (at 25 °C (at pH 4.23)	
citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
isopentyl acetate (123-92-2)		
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)	
Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Alcohol C-10 (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	Environmentally hazardous substance, liquid, n.o.s. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexyl Salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9,
14.3. Transport hazard	class(es)			
9	9	9	9	9
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG) : LP01, P001 Packing instructions (IMDG) : PP1 Special packing provisions (IMDG) : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 : TP1, TP29 Tank special provisions (IMDG) EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

2/10/2025 (Issue date) EN (English) 22/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	isopentyl acetate ; (R)-p- mentha-1,8-diene; d- limonene ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	MAGNOLIA #EU55134F; Hexyl cinnamic aldehyde; Linalool; Linalyl acetate; Cyclamal; Dihydromyrcenol; Citronellol Pure; Phenylethyl alcohol; Hexyl salicylate; Floralozone; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Citronellyl acetate (mixed Isomers); Triplal (Vertocitral); citral; Helional; (R)-p-mentha- 1,8-diene; d-limonene; Pine Needle Oil; reaction mass of: (1RS, 2RS,3SR, 6RS, 9SR)-9- methoxytricyclo[5.2.1.0(2, 6)]decane-3- carbaldehyde; (1RS, 2RS, 3RS, 6RS, 8SR)-8- methoxytricyclo[5.2.1.0(2, 6)]decane-3- carbaldehyde; (1RS, 2RS, 4SR, 6RS, 8SR)-8- methoxytricyclo[5.2.1.0(2, 6)]decane-4-carbaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	MAGNOLIA #EU55134F; Hexyl cinnamic aldehyde; Benzyl acetate; Cyclamal; Ethylene brassylate; beta-Ionone; Hexyl salicylate; Floralozone; 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Citronellyl acetate (mixed Isomers); Triplal (Vertocitral); Helional; (R)-p-mentha-1,8-diene; d-limonene; Pine Needle Oil; reaction mass of: (1RS, 2RS,3SR, 6RS, 9SR)-9- methoxytricyclo[5.2.1.0(2, 6)]decane-3- carbaldehyde; (1RS, 2RS, 3RS, 6RS, 8SR)-8- methoxytricyclo[5.2.1.0(2, 6)]decane-3- carbaldehyde; (1RS, 2RS, 4SR, 6RS, 8SR)-8- methoxytricyclo[5.2.1.0(2, 6)]decane-4-carbaldehyde; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	isopentyl acetate ; (R)-p- mentha-1,8-diene; d- limonene ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 11.9063 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Floralozone, Triplal (Vertocitral), Pine Needle Oil are listed

SZW-lijst van mutagene stoffen : Floralozone, Triplal (Vertocitral), Pine Needle Oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H361d	Suspected of damaging the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.