REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL - COMMISSION REGULATION (EU) No 344/2013 - COMMISSION REGULATION (EU) No 483/2013

Issue date(DD/MM/YEAR): 15/10/2021 Revision date: 19/07/2022 : Version: 1.0

### DECLARATION OF COMPLIANCE FOR PERFUME COMPOUNDS (DCP)

The adoption of the 7th amendement of the European Cosmetic Directive 76/768/EEC requires any cosmetic product containing any of 26 raw materials identified by the Scientific Committee on Cosmetic Products and Non-Food Products intended for Consumers as likely to cause a contact allergy when present above certain trigger levels to be declared on the package label.

ALLERGENS			
Name of common ingredients glossary	CAS-No.	Allergen % in product	
Linalool	78-70-6	2.9926	
d-Limonene	5989-27-5	2.8598058	
Benzyl benzoate	120-51-4	0.132	
.alphaHexyl cinnamic aldehyde	101-86-0	1.4989	
Benzyl alcohol	100-51-6	4.3036	

# CERTIFICATE OF CONFORMITY OF FRAGRANCE MIXTURES WITH IFRA STANDARDS

This certificate assesses the conformity of the fragrance mixture with IFRA Standards and provides restrictions for use as necessary. It is based only on those materials subject to IFRA Standards for the toxicity endpoint(s) described in each Standard.

This Certificate does therefore not replace a comprehensive safety assessment of the fragrance mixture.

**CERTIFYING PARTY:** 

### **CERTIFICATE DELIVERED TO:**

## SCOPE OF THE CERTIFICATE: Product: STRAWBERRY SLUSH #EU44521F

## **Compulsory information:**

We certify that the above mixture is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 51 Amendment to the IFRA Code of Practice (published June, 2023) provided it is used in the following class(es) at a maximum concentration level of:

IFRA Category(ies) [see Table 10 in Guidance for the use of IFRA Standards for details]	Level of use (%)*	Product application
Category 1	0 %	Lip Products of all types (solid and liquid lipsticks, balms, clear or colored, etc.) Children's toys
Category 2	0.0812042 %	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deocologne, etc.) Body sprays (including body mist)
Category 3	1.64388988 %	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eye care and moisturizer Facial make up and foundation Make-up remover for face and eyes Nose pore strips Wipes or refreshing tissues for face, neck, hands, body

		Body and face paint (for children and adults) Facial masks for face and around the eyes
Category 4	1.52505447 %	Hydroalcoholic and non-hydroalcoholic fine fragrance of all types (Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, etc.), aftershaves of all types (except creams and balms) Fragranced bracelets Ingredients of perfume kits and fragrance mixtures for cosmetic kits Scent pads, foil packs Scent strips for hydroalcoholic products
Category 5A	0.39611804 %	Body creams, oils, lotions of all types Foot care products (creams and powders) Insect repellent (intended to be applied to the skin) All powders and talc (excluding baby powders and talc)
Category 5B	0.39611804 %	Facial toner Facial moisturizers and creams (including care products for beard and mustache)
Category 5C	0.39611804 %	Hand cream Nail care products including cuticle creams, nail lacquer remover, etc. Hand sanitizers
Category 5D	0.13269954 %	Baby cream/lotion, baby oil, baby powders and talc
Category 6	0 %	Toothpaste Mouthwash, including breath sprays Toothpowder, strips, mouthwash tablets
Category 7A	3.16894435 %	Hair permanent or other hair chemical treatments (rinse- off) (e.g. relaxers), including rinse-off hair dyes
Category 7B	3.16894435 %	Hair sprays of all types (pumps, aerosol sprays, etc.) Hair styling aids non sprays (mousse, gels, leave- on conditioners) Hair permanent or other hair chemical treatments (leave- on) (e.g. relaxers), including leave-on hair dyes Shampoo - Dry (waterless shampoo) Hair deodorizer, hair perfume*
Category 8	0.13269954 %	Intimate wipes Intimate deodorant spray Tampons Baby wipes Toilet paper (wet)
Category 9	2.97088532 %	Bar soap Shampoo of all type Cleanser for face (rinse-off) Conditioner (rinse-off) Liquid soap Body washes and shower gels of all types Baby wash, bath, shampoo Bath gels, foams, mousses, salts, oils and other products

		added to bathwater (such as bath bombs) Foot care products (feet are placed in a bath for soaking) Shaving creams of all types (stick, gels, foams, etc.) All depilatories (including facial) and waxes for mechanical hair removal Shampoos for pets
Category 10A	10.69518717 %	Hand wash laundry detergent (including concentrates) Laundry pre-treatment of all types (e.g.paste, sprays, sticks) Hand dishwashing detergent (including concentrates) Hard surface cleaners of all types (bathroom and kitchen cleansers,furniture polish, etc.) Machine laundry detergents with skin contact (e.g. liquids, powders) including concentrates Toilet seat wipes Fabric softeners of all types excluding fabric softener sheets Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics) Floor wax Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems), etc. Ironing water (Odorized distilled water) Dry cleaning kits (involving manual application on the textile)
Category 10B	10.69518717 %	Animal sprays – sprays applied to animals of all types Air freshener sprays, manual, including aerosol and pump Aerosol/spray insecticides
Category 11A	0.13269954 %	Feminine hygiene conventional pads,liners, interlabial pads Baby diapers Incontinence pant, pad Toilet paper (dry)
Category 11B	0.13269954 %	Tights with moisturizers Scented socks, gloves Facial tissues (dry tissues) Napkins Pillow spray Paper towels Wheat bags Facial masks (paper/protective) e.g.surgical masks not used as medical device Fertilizers, solid (pellet or powder)
Category 12	100 %	Candles of all types (including encased) Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods)

	Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05- 0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals, solid non aerosol car diffuser) Air delivery systems Cat litter Cell phone cases Deodorizers/maskers not intended for skin contact (e.g.
	fabric drying machine deodorizers, carpet powders) Dry cleaning kits (placed in the dryer) Dryer sheets and fabric softener sheets Fuels Insecticides (e.g. mosquito coil, paper, electrical, for
	clothing) excluding aerosols/sprays Joss sticks or incense sticks Dishwash detergent and deodorizers – for machine wash Olfactive board games Paints
	Plastic articles (excluding toys) Scratch and sniff Scent pack Scent delivery system (using dry air technology) Shoe polishes Rim blocks (toilet)
*Actual use level or maximum use level	Toilet gel Scent beads

\*Actual use level or maximum use level

# Information about presence and concentration of fragrance ingredients subject to IFRA Standards in the fragrance mixture (STRAWBERRY SLUSH #EU44521F) is as follows:

Materials under the scope of IFRA Standards	CAS-No.	Recommendat ion from IFRA Standard:	Concentration (%) in fragrance mixture or finished product	Comment
2-Hexenal	6728-26-3 505-57-7 16635-54-4	Restricted	0.5049	
Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers)	27939-60-2 35145-02-9 36635-35-5 67801-65-4 68039-48-5 68039-49-6 68084-52-6 68737-61-1	Restricted	0.0945	
Benzyl alcohol	100-51-6	Restricted	4.3036	
Benzaldehyde	100-52-7	Restricted	1.4989	
alpha-Hexyl cinnamic aldehyde	101-86-0	Restricted	1.4989	

Benzyl benzoate	120-51-4	Restricted	0.132
Limonene	138-86-3 7705-14-8 5989-27-5 5989-54-8	Specification	2.8598058
Linalool	126-90-9 126-91-0 78-70-6	Specification	3.00608965

Signature

Date

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/15/2021 Revision date: 4/29/2025 Supersedes version of: 10/6/2023 Version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

Product form Product name UFI Product code Type of product Product group	<ul> <li>Mixture</li> <li>STRAWBERRY SLUSH #EU44521F</li> <li>QA9Y-V396-V006-XGN7</li> <li>EU44521F</li> <li>Perfumes, fragrances</li> <li>Trade product</li> </ul>
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against

### Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only
	Industrial
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.3. Details of the supplier of the safety data sheet

**SECTION 2: Hazards identification** 

2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) Contains Warning
Benzyl alcohol; Aldehyde C-16; Orange oil ; Linalool; Linalyl acetate; Hexyl cinnamic aldehyde; Methyl cinnamate; trans-2-Hexenal

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	8.5 – 16.987	Aquatic Chronic 2, H411
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	3.5 – 6.9947	Aquatic Chronic 3, H412
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	2.6 – 5.1989	Aquatic Chronic 2, H411
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	2.2 – 4.3036	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	1.6 – 3.1992	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1.5 – 2.9994	Acute Tox. 4 (Oral), H302
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	1.5 – 2.9994	Skin Irrit. 2, H315 Eye Irrit. 2, H319

## Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	1.5 – 2.9977	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1.5 – 2.9926	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Strawberiff	CAS-No.: 16957-70-3 EC-No.: 241-026-4	1.1 – 2.1995	Skin Corr. 1A, H314 Eye Dam. 1, H318
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	1.1 – 2.1518	Not classified
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1 – 1.9951	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.7 – 1.4989	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.7 – 1.4989	Eye Irrit. 2, H319
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	0.7 – 1.4989	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 STOT SE 3, H335
Methyl cinnamate	CAS-No.: 103-26-4 EC-No.: 203-093-8 REACH-no: 01-2119979458- 16	0.6 – 1.2997	Skin Sens. 1B, H317
trans-2-Hexenal	CAS-No.: 6728-26-3 EC-No.: 229-778-1	0.3 – 0.5049	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.1 – 0.132	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0084	Aquatic Chronic 3, H412

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0021	Flam. Liq. 3, H226
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.0001	Skin Corr. 1C, H314 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures** 4.1. Description of first aid measures First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest. First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. First-aid measures after eye contact Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for : several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Sand. Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	

: Take up liquid spill into absorbent material. Store away from other materials.

: Dispose of materials or solid residues at an authorized site.

# 6.4. Reference to other sections

Methods for cleaning up

Other information

Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions Incompatible products Incompatible materials Storage temperature Storage area Special rules on packaging Packaging materials	<ul> <li>Keep container closed when not in use. Store in a well-ventilated place. Keep cool.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> <li>25 °C</li> <li>Store in a well-ventilated place. Store away from heat.</li> <li>Store in a closed container.</li> <li>Do not store in corrodable metal.</li> </ul>

### 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
National occupational exposure and biological limit values		
benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	

## Safety Data Sheet

benzyl alcohol (100-51-6)		
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m <sup>3</sup>	
Finland - Occupational Exposure Limits	1	
HTP (OEL TWA)	45 mg/m <sup>3</sup>	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 9		
AGW (OEL TWA)	22 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m <sup>3</sup>	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m <sup>3</sup>	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m <sup>3</sup>	
	5 ppm	
OEL STEL	44 mg/m <sup>3</sup>	
	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	22 mg/m <sup>3</sup> (aerosol, vapour)	
	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
Ethyl acetoacetate (141-97-9)		
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m <sup>3</sup>	
	19 ppm	
OEL STEL	200 mg/m <sup>3</sup>	
	38 ppm	
benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	4.4 mg/m <sup>3</sup>	

## Safety Data Sheet

benzaldehyde (100-52-7)		
GW and		
V and BGW		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)	
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	40 mg/m <sup>3</sup>
NDSCh (OEL STEL)	80 mg/m <sup>3</sup>
Caproic acid (142-62-1)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³

### 8.2. Exposure controls

#### Appropriate engineering controls

**Appropriate engineering controls:** Ensure good ventilation of the work station.

#### Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure. Personal protective equipment symbol(s):



### Eye and face protection

**Eye protection:** Chemical goggles or safety glasses. Safety glasses

Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Wear protective gloves.

#### **Respiratory protection**

Respiratory protection: Wear appropriate mask

#### **Environmental exposure controls**

Environmental exposure controls: Avoid release to the environment. Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold

- : light yellow. amber. Conforms to standard.
- : characteristic. characteristic.
  - : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 62 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 0.97
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### **10.2. Chemical stability**

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

**10.5. Incompatible materials** 

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (dermal) :	Not classified Not classified Not classified
LD50 oral rat	> 5000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)

## Safety Data Sheet

2(3H)-Furanone, 5-heptyldihydro- (104-67-6)				
LD50 oral rat	18500 mg/kg (Source: NLM_CIP)			
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)			
Verdox (88-41-5)				
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)			
LD50 oral	4600 mg/kg			
benzyl alcohol (100-51-6)				
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)			
LD50 oral	1570 mg/kg			
Aldehyde C-16 (77-83-8)				
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)			
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)			
Ethyl maltol (4940-11-8)				
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)			
LD50 oral	1200 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)			
Dihydromyrcenol (18479-58-8)				
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)			
LD50 oral	3020 mg/kg			
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)			
Orange oil (8008-57-9)				
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)			
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)			
Linalool (78-70-6)				
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)			
LD50 oral	2790 mg/kg			
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)			
Ethyl acetoacetate (141-97-9)				
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)			
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)			
Linalyl acetate (115-95-7)				
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)			
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)			
Hexyl cinnamic aldehyde (101-86-0)				
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)			
LD50 oral	3100 mg/kg bodyweight			
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)			

## Safety Data Sheet

Hexyl cinnamic aldehyde (101-86-0)				
LC50 Inhalation - Rat	> 5 mg/l/4h			
Vanillin (121-33-5)				
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)			
LD50 dermal	2600 mg/kg bodyweight			
benzaldehyde (100-52-7)				
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)			
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)			
LC50 Inhalation - Rat	< 5 mg/l/4h			
Methyl cinnamate (103-26-4)				
LD50 oral rat	2610 mg/kg (Source: NLM_CIP)			
LD50 oral	2610 mg/kg			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)			
trans-2-Hexenal (6728-26-3)				
LD50 oral	850 mg/kg			
LD50 dermal	600 mg/kg			
benzyl benzoate (120-51-4)				
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)			
LD50 oral	1160 mg/kg bodyweight			
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)			
Alcohol C-10 (112-30-1)				
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)			
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)			
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)			
Aldehyde C-6 (66-25-1)				
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)			
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)			
Caproic acid (142-62-1)				
LD50 oral rat	3 g/kg (Source: NLM_HSDB)			
LD50 dermal rabbit	630 mg/kg (Source: NLM_HSDB)			
	Causes skin irritation.			
	Causes serious eye irritation.			
	May cause an allergic skin reaction. Not classified			
	Not classified			
	Not classified			
STOT-single exposure :	Not classified			
benzaldehyde (100-52-7)				
STOT-single exposure	May cause respiratory irritation.			
	Not classified			
Aspiration hazard :	Not classified			

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzyl benzoate (120-51-4)			
Viscosity, kinematic 7.456 mm <sup>2</sup> /s			
11.2 Information on other hazards			

: Based on available data, the classification criteria are not met

### Other information

Potential adverse human health effects and symptoms

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified				
Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects. (chronic)					
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)					
C50 - Fish [1] 569 mg/l 96 h					
EC50 - Crustacea [1]	5.85 mg/l 48 h				
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h				
benzyl alcohol (100-51-6)					
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)				
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)				
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)				
Aldehyde C-16 (77-83-8)					
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)				
Ethyl maltol (4940-11-8)					
C50 - Fish [1] > 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)					
Linalool (78-70-6)					
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)				
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)				
EC50 96h - Algae [1]	88.3 mg/I (Species: Desmodesmus subspicatus)				
Ethyl acetoacetate (141-97-9)					
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)				
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)				
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)				
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)				
Linalyl acetate (115-95-7)					
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)				
Vanillin (121-33-5)					
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)				

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vanillin (121-33-5)				
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)			
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])			
benzaldehyde (100-52-7)				
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)			
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)			
Methyl cinnamate (103-26-4)				
LC50 - Fish [1]	2.76 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)			
benzyl benzoate (120-51-4)				
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
NOEC (chronic)	0.168 mg/l			
Alcohol C-10 (112-30-1)				
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)			
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Aldehyde C-6 (66-25-1)				
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
Caproic acid (142-62-1)				
LC50 - Fish [1]	306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)			

### 12.2. Persistence and degradability

STRAWBERRY SLUSH #EU44521F				
Persistence and degradability	nd degradability Not established.			
Ethylene brassylate (105-95-3)				
Persistence and degradability	Rapidly degradable			
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)				
Persistence and degradability	Rapidly degradable			
Verdox (88-41-5)				
Persistence and degradability	Rapidly degradable			
benzyl alcohol (100-51-6)				
Persistence and degradability	Rapidly degradable			
Aldehyde C-16 (77-83-8)				
Persistence and degradability	Rapidly degradable			

## Safety Data Sheet

Ethyl maltol (4940-11-8)				
Persistence and degradability	Rapidly degradable			
Dihydromyrcenol (18479-58-8)				
Persistence and degradability	Rapidly degradable			
Orange oil (8008-57-9)				
Persistence and degradability	Rapidly degradable			
Linalool (78-70-6)				
Persistence and degradability	Rapidly degradable			
Strawberiff (16957-70-3)				
Persistence and degradability	Rapidly degradable			
Ethyl acetoacetate (141-97-9)				
Persistence and degradability	Rapidly degradable			
Linalyl acetate (115-95-7)				
Persistence and degradability	Rapidly degradable			
Hexyl cinnamic aldehyde (101-86-0)				
Persistence and degradability	Rapidly degradable			
Vanillin (121-33-5)				
Persistence and degradability	Rapidly degradable			
benzaldehyde (100-52-7)				
Persistence and degradability	Rapidly degradable			
Methyl cinnamate (103-26-4)				
Persistence and degradability	Not established.			
trans-2-Hexenal (6728-26-3)				
Persistence and degradability	Rapidly degradable			
benzyl benzoate (120-51-4)				
Persistence and degradability	May cause long-term adverse effects in the environment.			
Alcohol C-10 (112-30-1)				
Persistence and degradability	Rapidly degradable			
Aldehyde C-6 (66-25-1)				
Persistence and degradability	Rapidly degradable			
Caproic acid (142-62-1)				
Persistence and degradability	Rapidly degradable			
12.3. Bioaccumulative potential				
STRAWBERRY SLUSH #EU44521F				
Bioaccumulative potential	Not established.			

## Safety Data Sheet

Partition coefficient n-octanol/water (Log Pow)       4.3 (at 25 °C (at pH 6.4-7)         2(3H)-Furanone, 5-heptyldihydro- (104-67-6)       Image: Stand	Ethylene brassylate (105-95-3)	
2(3H)-Furanone, 5-hepty/dihydro-(194-67-6)         Partition coefficient n-octanol/water (Log Pow)       3.6 (at 25 °C)         benzyl alcohol (100-51-6)       1.05         Aldebyde C-16 (77-83-8)          Partition coefficient n-octanol/water (Log Pow)       2.4 (at 25 °C (cis isomer)         Ethyl matiol (400-51-6)          Partition coefficient n-octanol/water (Log Pow)       2.9 (at 25 °C)         Dihydromyrcenol (18479-58-8)          Partition coefficient n-octanol/water (Log Pow)       2.5 (at 40 °C (at pH 7)         Orange oll (8008-57-9)          Partition coefficient n-octanol/water (Log Pow)       2.5 (at 20 °C (at pH 7)         Orange oll (8008-57-9)          Partition coefficient n-octanol/water (Log Pow)       2.9 (at 20 °C (at pH 7)         Strawberiff (1957-70-3)          Partition coefficient n-octanol/water (Log Pow)       2.9 (at 20 °C)         Ethyl acetacetate (141-97-9)          Partition coefficient n-octanol/water (Log Pow)       1.9 (at 25 °C)         Unalyl acetate (15-55-7)          Partition coefficient n-octanol/water (Log Pow)       3.9 (at 25 °C)         Vanillin coefficient n-octanol/water (Log Pow)       1.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       1.9 (at 25 °C) <t< td=""><td></td><td>4.3 (at 25 °C (at pH 6.4-7)</td></t<>		4.3 (at 25 °C (at pH 6.4-7)
Partition coefficient n-octanol/water (Log Pow)         3.6 (at 25 °C)           benzyl alcohol (100-51-6)         1.05           Partition coefficient n-octanol/water (Log Pow)         2.4 (at 25 °C (oris isomer)           Ethyl anatol (4940-11-8)         Partition coefficient n-octanol/water (Log Pow)         2.9 (at 25 °C)           Dihydromyrcenol (18479-58-8)         Partition coefficient n-octanol/water (Log Pow)         2.9 (at 25 °C)           Dihydromyrcenol (18479-58-8)         Partition coefficient n-octanol/water (Log Pow)         3.25 (at 40 °C (at pH 7)           Orange oli (8008-57-9)         Partition coefficient n-octanol/water (Log Pow)         2.9 (at 25 °C)           Partition coefficient n-octanol/water (Log Pow)         2.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)           Strawberiff (18957-70-3)         Partition coefficient n-octanol/water (Log Pow)         2.9 (at 25 °C)           Partition coefficient n-octanol/water (Log Pow)         0.8 (at 20 °C)         Partition coefficient n-octanol/water (Log Pow)           Strawberiff (18957-70-3)         Partition coefficient n-octanol/water (Log Pow)         3.9 (at 25 °C)           Partition coefficient n-octanol/water (Log Pow)         0.8 (at 20 °C)         Partition coefficient n-octanol/water (Log Pow)           Strawberiff (1895-7)         Partition coefficient n-octanol/water (Log Pow)         3.9 (at 25 °C)           Partition coefficient n-octanol/w		
Berryl alcohol (100-51-6)Partition coefficient n-octanol/water (Log Pow)1.05Aldehyde C-16 (77-83-8)Partition coefficient n-octanol/water (Log Pow)2.4 (at 25 °C (cis isomer)Ehyl matol (4940-11-8)Partition coefficient n-octanol/water (Log Pow)2.9 (at 25 °C)Dihydromyrcenol (16479-58-8)Partition coefficient n-octanol/water (Log Pow)3.25 (at 40 °C (at pH 7)Orange oil (8008-57-9)Partition coefficient n-octanol/water (Log Pow)2.9 (at 20 °C (at pH 7)Partition coefficient n-octanol/water (Log Pow)2.9 (at 20 °C (at pH 7)Strawbarff (16957-70-3)Partition coefficient n-octanol/water (Log Pow)1.9 (at 25 °C)Partition coefficient n-octanol/water (Log Pow)9.8 (at 20 °C)Linalyl acetacetate (141-97-9)Partition coefficient n-octanol/water (Log Pow)9.8 (at 25 °C)Varillin (121-33-5)Partition coefficient n-octanol/water (Log Pow)1.23 (at 22 °C)Descale/partition coefficient n-octanol/water (Log Pow)1.23 (at 22 °C)Descale/partition coefficient n-octanol/water (Log Pow)1.23 (at 22 °C)Descale/partition coefficient n-octanol/water (Log Pow)1.4 (at 25 °C)Descale/partition coefficient n-octanol/water (Log Pow)2.8 (at 25 °C (at pH >4.73<7.06)		3.6 (at 25 ℃)
Partition coefficient n-octanol/water (Log Pow)         1.05           Aldehyde C-16 (77-83-8)         2.4 (et 25 °C (cis isomer)           Ethyl mattol (4940-11-8)         2.9 (at 25 °C)           Dihydromyrcenol (16479-58-8)         2.9 (at 25 °C)           Partition coefficient n-octanol/water (Log Pow)         3.25 (at 40 °C (at pH 7)           Orange oil (8008-57-9)         2.78 – 54.88           Partition coefficient n-octanol/water (Log Pow)         2.9 (at 20 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         2.9 (at 20 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         2.9 (at 20 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         2.9 (at 20 °C (at pH 7)           Strawberiff (18957-70-3)         Partition coefficient n-octanol/water (Log Pow)         1.9 (at 25 °C)           Partition coefficient n-octanol/water (Log Pow)         0.8 (at 20 °C)         Partition coefficient n-octanol/water (Log Pow)         3.9 (at 25 °C)           Vanillin (21-33-5)         Partition coefficient n-octanol/water (Log Pow)         3.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)         1.23 (at 22 °C)           Partition coefficient n-octanol/water (Log Pow)         1.23 (at 22 °C)         Partition coefficient n-octanol/water (Log Pow)         1.24 (at 25 °C)           Partition coefficient n-octanol/water (Log Pow)         1.24 (a		
Aldehyde C-16 (77-83-8)Partition coefficient n-octanol/water (Log Pow)2.4 (at 25 °C (dis isomer)Ethyl mattol (4940-11-8)Partition coefficient n-octanol/water (Log Pow)2.9 (at 25 °C)Dihydromyrcenol (18479-58-8)Partition coefficient n-octanol/water (Log Pow)3.25 (at 40 °C (at pH 7)Orange oll (8008-57-9)Partition coefficient n-octanol/water (Log Pow)2.9 (at 20 °C (at pH 7)Orange oll (8008-57-9)Partition coefficient n-octanol/water (Log Pow)2.9 (at 20 °C (at pH 7)Partition coefficient n-octanol/water (Log Pow)2.9 (at 20 °C (at pH 7)Strawberiff (16957-70-3)Partition coefficient n-octanol/water (Log Pow)1.9 (at 25 °C)Ethyl acetacetate (141-97-9)Partition coefficient n-octanol/water (Log Pow)0.8 (at 20 °C)Linalyl acetate (145-95-7)Partition coefficient n-octanol/water (Log Pow)3.9 (at 25 °C)Vanillin (121-33-5)Partition coefficient n-octanol/water (Log Pow)1.23 (at 22 °C)benzaldehyde (100-52-7)BCF - Fish [1](no significant bicaccumulation)Partition coefficient n-octanol/water (Log Pow)2.88 (at 25 °C (at pH >4.73 ~7.06)Beaccumulative potentialNot established.benzyl benzoate (120-51-4)2.88 (at 25 °C)Partition coefficient n-octanol/water (Log Pow)3.97 (at 25 °C)Bicacumulative potentialNot established.benzyl benzoate (120-51-4)Not established.Partition coefficient n-octanol/water (Log Pow)3.97 (at 25 °C)Bicacumulative potentialNot established.<		1.05
Partition coefficient n-octanol/water (Log Pow)         2.4 (at 25 °C (cis isomer)           Partition coefficient n-octanol/water (Log Pow)         2.9 (at 25 °C)           Dihydromyrcenol (18479-58-8)         2.5 (at 40 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         3.25 (at 40 °C (at pH 7)           Orange oil (8008-57-9)         2.78 – 5 4.88           Partition coefficient n-octanol/water (Log Pow)         2.78 – 5 4.88           Linaloo (78-70-6)         2.9 (at 20 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         2.9 (at 20 °C (at pH 7)           Strawberiff (18957-70-3)         2.9 (at 20 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         1.9 (at 25 °C)           Ethyl acctaocatet (141-97-9)         2.9           Partition coefficient n-octanol/water (Log Pow)         0.8 (at 20 °C)           Linalyl acctae (151-95-7)         2.9           Partition coefficient n-octanol/water (Log Pow)         3.9 (at 25 °C)           Varillin (121-33-5)         2.8 (at 25 °C)           Partition coefficient n-octanol/water (Log Pow)         1.23 (at 22 °C)           bezaldehyde (100-52-7)         2.8 (at 25 °C (at pH >4.73 ~7.06)           Bioeccumulation coefficient n-octanol/water (Log Pow)         2.88 (at 25 °C (at pH >4.73 ~7.06)           Bioeccumulative potential         Not		
Ethyl maltol (4940-11-8)           Partilion coefficient n-octanol/water (Log Pow)         2.9 (at 25 °C)           Dihydromyrcenol (18479-58-8)         3.25 (at 40 °C (at pH 7)           Orange oil (8008-57-9)         2.2 78 – 5 4.88           Partilion coefficient n-octanol/water (Log Pow)         2.9 (at 20 °C (at pH 7)           Orange oil (1607-70-6)         2.9 (at 20 °C (at pH 7)           Partilion coefficient n-octanol/water (Log Pow)         2.9 (at 20 °C (at pH 7)           Strawberiff (16957-70-3)         2.9 (at 20 °C (at pH 7)           Partilion coefficient n-octanol/water (Log Pow)         1.9 (at 25 °C)           Ethyl acetoacetate (141-97-9)         Partilion coefficient n-octanol/water (Log Pow)           Partilion coefficient n-octanol/water (Log Pow)         3.9 (at 25 °C)           Vanillin (21-33-5)         Partilion coefficient n-octanol/water (Log Pow)           Partilion coefficient n-octanol/water (Log Pow)         1.23 (at 22 °C)           Partilion coefficient n-octanol/water (Log Pow)         1.23 (at 22 °C)           Partilion coefficient n-octanol/water (Log Pow)         1.23 (at 22 °C)           Partilion coefficient n-octanol/water (Log Pow)         1.23 (at 22 °C)           Partilion coefficient n-octanol/water (Log Pow)         1.43 (at 25 °C)           Partilion coefficient n-octanol/water (Log Pow)         1.26 (at 25 °C (at pH > 4.73 - 7.06)		2.4 (at 25 °C (cis isomer)
Partition coefficient n-octanol/water (Log Pow)         2.9 (at 25 °C)           Dihydromyrcenol (18479-58-8)         3.25 (at 40 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         \$2.6 (at 40 °C (at pH 7)           Orange oil (8008-57-9)         *2.78 – \$4.88           Linalool (78-70-6)         2.9 (at 20 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         2.9 (at 20 °C (at pH 7)           Strawberiff (1957-70-3)         2.9 (at 20 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         1.9 (at 25 °C)           Ethyl acetoacetate (141-97-9)         ************************************		
Dihydromyrcenol (18479-58-8)Partition coefficient n-octanol/water (Log Pow) $3.25$ (at 40 °C (at pH 7)Orange oil (8008-57-9) $\geq 2.78 - \leq 4.88$ Partition coefficient n-octanol/water (Log Pow) $\geq 2.78 - \leq 4.88$ Linalool (78-70-6) $\geq 2.9$ (at 20 °C (at pH 7)Partition coefficient n-octanol/water (Log Pow) $2.9$ (at 20 °C (at pH 7)Strawberiff (16957-70-3) $\geq 1.9$ (at 25 °C)Partition coefficient n-octanol/water (Log Pow) $1.9$ (at 25 °C)Ethyl acetoacetae (141-97-9) $\geq 2.78 - \leq 4.88$ Partition coefficient n-octanol/water (Log Pow) $0.8$ (at 20 °C)Linalyl acetae (15-95-7) $\geq 3.9$ (at 25 °C)Partition coefficient n-octanol/water (Log Pow) $3.9$ (at 25 °C)Vanillin (121-33-5) $\geq 2.78 - \leq 4.88$ Partition coefficient n-octanol/water (Log Pow) $1.23$ (at 22 °C)bezaldehyde (100-52-7) $= 1.23 (at 25 °C)$ Partition coefficient n-octanol/water (Log Pow) $1.4$ (at 25 °C)Methyl cinnamate (103-26-4) $= 2.88 (at 25 °C (at pH > 4.73 - <7.06)$ Partition coefficient n-octanol/water (Log Pow) $2.88 (at 25 °C (at pH > 4.73 - <7.06)$ Bioaccumulative potentialNot established.bezyl bezzoate (120-51-4) $= 3.97 (at 25 °C)$ Partition coefficient n-octanol/water (Log Pow) $3.97 (at 25 °C)$ Bioaccumulative potentialNot established.bezzyl bezzoate (120-51-4) $= 3.97 (at 25 °C)$ Partition coefficient n-octanol/water (Log Pow) $3.97 (at 25 °C)$ Bioaccumulative potentialNot established.Alcohol C-10 (112-30-1) <td></td> <td>2.0 (at 25 °C)</td>		2.0 (at 25 °C)
Partition coefficient n-octanol/water (Log Pow)       3.26 (at 40 °C (at pH 7)         Orange oil (8008-57-9)       ≥ 2.78 – ≤ 4.88         Linalool (78-70-6)       Partition coefficient n-octanol/water (Log Pow)       2.9 (at 20 °C (at pH 7)         Strawberiff (16957-70-3)       Partition coefficient n-octanol/water (Log Pow)       2.9 (at 20 °C (at pH 7)         Partition coefficient n-octanol/water (Log Pow)       1.9 (at 25 °C)       Ethyl acetacetate (141-97-9)         Partition coefficient n-octanol/water (Log Pow)       0.8 (at 20 °C)       Ethyl acetate (115-95-7)         Partition coefficient n-octanol/water (Log Pow)       3.9 (at 25 °C)       Vanillin (121-33-5)         Partition coefficient n-octanol/water (Log Pow)       3.9 (at 25 °C)       Vanillin (121-33-5)         Partition coefficient n-octanol/water (Log Pow)       1.23 (at 22 °C)       benzaldehyde (100-52-7)         BCF - Fish [1]       (no significant bicaccumulation)       Partition coefficient n-octanol/water (Log Pow)         Partition coefficient n-octanol/water (Log Pow)       2.68 (at 25 °C (at pH >4.73-<7.06)		2.9 (at 25 °C)
Orange oil (8008-57-9)Partition coefficient n-octanol/water (Log Pow) $\geq 2.78 - \leq 4.88$ Linalool (78-70-6)2.9 (at 20 °C (at pH 7)Partition coefficient n-octanol/water (Log Pow)2.9 (at 20 °C (at pH 7)Strawberiff (16957-70-3)		
Partition coefficient n-octanol/water (Log Pow)       ≥ 2.78 – ≤ 4.88         Linalool (78-70-6)       2.9 (at 20 °C (at pH 7)         Partition coefficient n-octanol/water (Log Pow)       1.9 (at 25 °C)         Ethyl acetoacetate (141-97-9)       1.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       0.8 (at 20 °C)         Linalyl acetate (115-95-7)       9.8 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       3.9 (at 25 °C)         Vanillin (121-33-5)       7.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       3.9 (at 22 °C)         benzaldehyde (100-52-7)       1.23 (at 22 °C)         BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       2.68 (at 25 °C (at pH > 4.73 - 47.06)         Partition coefficient n-octanol/water (Log Pow)       2.68 (at 25 °C (at pH > 4.73 - 47.06)         Bioaccumulative potential       Not established.         benzyl benzoate (120-51-4)       3.97 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       3.97 (at 25 °C)         Bioaccumulative potential       Not established.         benzyl benzoate (120-51-4)       2.97 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       3		3.25 (at 40 °C (at pH 7)
Linalool (78-70-6)         2.9 (at 20 °C (at pH 7)           Partilion coefficient n-octanol/water (Log Pow)         1.9 (at 25 °C)           Ethyl acetoacetate (141-97-9)         1.9 (at 25 °C)           Partilion coefficient n-octanol/water (Log Pow)         0.8 (at 20 °C)           Linalyl acetoacetate (115-95-7)         0.8 (at 20 °C)           Partition coefficient n-octanol/water (Log Pow)         3.9 (at 25 °C)           Vanillin (121-33-5)         1.23 (at 22 °C)           Partition coefficient n-octanol/water (Log Pow)         1.23 (at 22 °C)           benzaldehyde (100-52-7)         1.23 (at 22 °C)           BCF - Fish [1]         (no significant bioaccumulation)           Partition coefficient n-octanol/water (Log Pow)         1.4 (at 25 °C)           Methyl cinnamate (103-26-4)         1.4 (at 25 °C)           Partition coefficient n-octanol/water (Log Pow)         2.68 (at 25 °C (at pH >4.73-<7.06)		
Partition coefficient n-octanol/water (Log Pow)       2.9 (at 20 °C (at pH 7)         Strawberiff (16957-70-3)       1.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       1.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       0.8 (at 20 °C)         Linalyl acetate (115-95-7)       9.8 (at 20 °C)         Partition coefficient n-octanol/water (Log Pow)       3.9 (at 25 °C)         Vanillin (121-33-5)       1.23 (at 22 °C)         Partition coefficient n-octanol/water (Log Pow)       1.23 (at 22 °C)         benzaldehyde (100-52-7)       1.23 (at 22 °C)         BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       2.68 (at 25 °C (at pH >4.73-<7.06)	Partition coefficient n-octanol/water (Log Pow)	≥ 2.78 - ≤ 4.88
Strawberiff (16957-70-3)       1.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       1.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       0.8 (at 20 °C)         Linalyl acetace (141-97-9)       0.8 (at 20 °C)         Partition coefficient n-octanol/water (Log Pow)       0.8 (at 20 °C)         Vanillin (121-33-5)       3.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       1.23 (at 22 °C)         benzaldehyde (100-52-7)       1.23 (at 22 °C)         BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       2.68 (at 25 °C (at pH >4.73-<7.06)	Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)       1.9 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       0.8 (at 20 °C)         Linalyl acetate (115-95-7)       Image: Comparison of Compar	Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)
Ethyl acetoacetate (141-97-9)         Parition coefficient n-octanol/water (Log Pow)       0.8 (at 20 °C)         Linalyl acetate (115-95-7)         Parition coefficient n-octanol/water (Log Pow)       3.9 (at 25 °C)         Vanillin (121-33-5)         Parition coefficient n-octanol/water (Log Pow)       1.23 (at 22 °C)         bezaldehyde (100-52-7)         BCF - Fish [1]       (no significant bioaccumulation)         Parition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       1.4 (at 25 °C)         Parition coefficient n-octanol/water (Log Pow)       2.68 (at 25 °C (at pH >4.73-<7.06)	Strawberiff (16957-70-3)	
Partition coefficient n-octanol/water (Log Pow)       0.8 (at 20 °C)         Linalyl acetate (115-95-7)         Partition coefficient n-octanol/water (Log Pow)       3.9 (at 25 °C)         Vanilin (121-33-5)         Partition coefficient n-octanol/water (Log Pow)       1.23 (at 22 °C)         benzaldehyde (100-52-7)         BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       1.4 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       2.68 (at 25 °C (at pH >4.73 <7.06)	Partition coefficient n-octanol/water (Log Pow)	1.9 (at 25 °C)
Linalyl acetate (115-95-7)         Partition coefficient n-octanol/water (Log Pow)       3.9 (at 25 °C)         Vanillin (121-33-5)         Partition coefficient n-octanol/water (Log Pow)       1.23 (at 22 °C)         benzaldehyde (100-52-7)         BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       1.4 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       2.68 (at 25 °C (at pH >4.73-<7.06)	Ethyl acetoacetate (141-97-9)	
Partition coefficient n-octanol/water (Log Pow)       3.9 (at 25 °C)         Vanillin (121-33-5)         Partition coefficient n-octanol/water (Log Pow)       1.23 (at 22 °C)         benzaldehyde (100-52-7)         BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       1.4 (at 25 °C)         Partition coefficient n-octanol/water (Log Pow)       2.68 (at 25 °C (at pH >4.73-<7.06)	Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)
Vanillin (121-33-5)         Partition coefficient n-octanol/water (Log Pow)       1.23 (at 22 °C)         benzaldehyde (100-52-7)         BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       1.4 (at 25 °C (at pH >4.73-<7.06)	Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)       1.23 (at 22 °C)         benzaldehyde (100-52-7)       In o significant bioaccumulation)         BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       In a (at 25 °C (at pH >4.73-<7.06)	Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
benzaldehyde (100-52-7)         BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)          Partition coefficient n-octanol/water (Log Pow)       2.68 (at 25 °C (at pH >4.73-<7.06)	Vanillin (121-33-5)	
BCF - Fish [1]       (no significant bioaccumulation)         Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)	Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
Partition coefficient n-octanol/water (Log Pow)       1.4 (at 25 °C)         Methyl cinnamate (103-26-4)       Partition coefficient n-octanol/water (Log Pow)         Partition coefficient n-octanol/water (Log Pow)       2.68 (at 25 °C (at pH >4.73-<7.06)	benzaldehyde (100-52-7)	
Methyl cinnamate (103-26-4)         Partition coefficient n-octanol/water (Log Pow)       2.68 (at 25 °C (at pH >4.73-<7.06)	BCF - Fish [1]	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)2.68 (at 25 °C (at pH >4.73-<7.06)Bioaccumulative potentialNot established.benzyl benzoate (120-51-4)3.97 (at 25 °C)Partition coefficient n-octanol/water (Log Pow)3.97 (at 25 °C)Bioaccumulative potentialNot established.Alcohol C-10 (112-30-1)Yot established.Partition coefficient n-octanol/water (Log Pow)4.5 (at 25 °C (at pH 6)	Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)
Bioaccumulative potential       Not established.         benzyl benzoate (120-51-4)	Methyl cinnamate (103-26-4)	
benzyl benzoate (120-51-4)         Partition coefficient n-octanol/water (Log Pow)       3.97 (at 25 °C)         Bioaccumulative potential       Not established.         Alcohol C-10 (112-30-1)       Partition coefficient n-octanol/water (Log Pow)         4.5 (at 25 °C (at pH 6)	Partition coefficient n-octanol/water (Log Pow)	2.68 (at 25 °C (at pH >4.73-<7.06)
Partition coefficient n-octanol/water (Log Pow)       3.97 (at 25 °C)         Bioaccumulative potential       Not established.         Alcohol C-10 (112-30-1)       Partition coefficient n-octanol/water (Log Pow)         4.5 (at 25 °C (at pH 6)	Bioaccumulative potential	Not established.
Bioaccumulative potential Not established. Alcohol C-10 (112-30-1) Partition coefficient n-octanol/water (Log Pow) 4.5 (at 25 °C (at pH 6)	benzyl benzoate (120-51-4)	
Alcohol C-10 (112-30-1) Partition coefficient n-octanol/water (Log Pow) 4.5 (at 25 °C (at pH 6)	Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Partition coefficient n-octanol/water (Log Pow) 4.5 (at 25 °C (at pH 6)	Bioaccumulative potential	Not established.
	Alcohol C-10 (112-30-1)	
Aldehyde C-6 (66-25-1)	Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
	Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow) 2.3 (at 25 °C (at pH 5)	Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Caproic acid (142-62-1)	
Partition coefficient n-octanol/water (Log Pow)	1.88
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
STRAWBERRY SLUSH #EU44521F	
Other information	Avoid release to the environment.
Methyl cinnamate (103-26-4)	
Other information	Avoid release to the environment.
benzyl benzoate (120-51-4)	
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations	;
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Ecological waste information HP Code	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Avoid release to the environment.</li> <li>HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.</li> <li>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment</li> </ul>

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			•
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name	· · ·		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene brassylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene brassylate)	Environmentally hazardous substance, liquid, n.o.s. (Ethylene brassylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene brassylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene brassylate)

## Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene brassylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene brassylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Ethylene brassylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene brassylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene brassylate), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
14.4. Packing group		I	I	
III	III	III	III	Ш
14.5. Environmental haz	ards	I	I	I
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	I	I	I
14.6. Special precautions	s for user			
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (A Mixed packing provisions (AD Portable tank and bulk contain Portable tank and bulk contain (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Hazard identification number Orange plates	: M6 : 274 : 51 : E1 : P00 DR) : PP R) : MP her instructions (ADR) : T4 her special provisions : TP : LG : AT : 3 e - Packages (ADR) : V12 e - Loading, unloading : CV (Kemler No.) : 90 : []	4, 335, 375, 601 01, IBC03, LP01, R001 1 19 1, TP29 BV		
EAC code	•3Z	<u>.</u>		
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	: 274 : 5 L : E1	4, 335, 969		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (IMDG) Special packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Stowage category (IMDG)	: LP01, P001 : PP1 : IBC03 : T4 : TP1, TP29 : A
Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	: E1 : Y964 : 30kgG : 964 : 450L : 964 : 450L : A97, A158, A197, A215 : 9L
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Number of blue cones/lights (ADN)	: M6 : 274, 335, 375, 601 : 5 L : E1 : PP : 0
Rail transportClassification code (RID)Special provisions (RID)Limited quantities (RID)Excepted quantities (RID)Packing instructions (RID)Special packing provisions (RID)Mixed packing provisions (RID)Portable tank and bulk container instructions (RID)Portable tank and bulk container special provisions (RID)Tank codes for RID tanks (RID)Transport category (RID)Special provisions for carriage – Packages (RID)Special provisions for carriage – Loading, unloading	<ul> <li>M6</li> <li>274, 335, 375, 601</li> <li>5L</li> <li>E1</li> <li>P001, IBC03, LP01, R001</li> <li>PP1</li> <li>MP19</li> <li>T4</li> <li>TP1, TP29</li> <li>LGBV</li> <li>3</li> <li>W12</li> <li>CW13, CW31</li> </ul>
and handling (RID) Colis express (express parcels) (RID) Hazard identification number (RID)	: CE8 : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Orange oil ; trans-2- Hexenal	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	STRAWBERRY SLUSH #EU44521F ; Benzyl alcohol ; Dihydromyrcenol ; Aldehyde C-16 ; Strawberiff ; Linalool ; Orange oil ; Hexyl cinnamic aldehyde ; Benzaldehyde ; trans-2- Hexenal ; Linalyl acetate ; Benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	STRAWBERRY SLUSH #EU44521F ; Ethylene brassylate ; Aldehyde C- 14 ; Verdox ; Aldehyde C- 16 ; Orange oil ; Hexyl cinnamic aldehyde ; Benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Orange oil ; trans-2- Hexenal	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **National regulations**

#### France

Occupational diseases		
Code Description	Description	
hydrocarbo alcohols; g dimethylfo	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	
Germany		
VOC ordinance (ChemVOCFarbV)	:	
Employment restrictions	<ul> <li>Observe restrictions according Act on the Protection of Working Mothers (MuSchG).</li> <li>Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).</li> </ul>	
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).	
Major Accidents Ordinance (12. BImSch	NV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)	
Netherlands		
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment	
SZW-lijst van kankerverwekkende stoffe		
SZW-lijst van mutagene stoffen	: Orange oil is listed	
SZW-lijst van reprotoxische stoffen – Bo SZW-lijst van reprotoxische stoffen –	rstvoeding : None of the components are listed : None of the components are listed	
/ruchtbaarheid		
SZW-lijst van reprotoxische stoffen – Or	ntwikkeling : None of the components are listed	
Denmark		
Class for fire hazard	: Class III-1	
Store unit	: 50 liter	
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guideli for the storage of flammable liquids must be followed	
Danish National Regulations	<ul> <li>Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact w the product</li> </ul>	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Polish National Regulations	: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
	<ul> <li>Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).</li> <li>The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).</li> <li>Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).</li> <li>Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).</li> <li>Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).</li> <li>The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)</li> <li>Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).</li> <li>Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).</li> <li>ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 881)</li> </ul>

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Other information

: None.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

The classification complies with

### : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.