

COFFEE BEANS #EU35918F

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Issue date: 4/22/2020

Revision date: 3/3/2025

Supersedes version of: 12/30/2024

Version: 2.0

ALLERGENS								
Reference number	Name of common ingredients glossary	CAS-No.	EC-No.	Allergen % in product				Comments
				% in w/w Direct addition	% in w/w From Essential oil(s)	% in w/w in the concentrate	% in w/w for a usage at - %	
85	Benzyl benzoate	120-51-4	204-402-9	79.3497	0	79.3497	-	
346	Vanillin	121-33-5	204-465-2	1.820054	0	1.820054	-	
45	Benzyl Alcohol	100-51-6	202-859-9	Not detected	Not detected	Not detected	Not detected	
46	6-Methyl Coumarin	92-48-8	202-158-8	Not detected	Not detected	Not detected	Not detected	
67	Amyl cinnamal	122-40-7	204-541-5	Not detected	Not detected	Not detected	Not detected	
69	Cinnamyl alcohol	104-54-1	203-212-3	Not detected	Not detected	Not detected	Not detected	
70	Citral / Geranial / Neral	5392-40-5 141-27-5 106-26-3	226-394-6 205-476-5 203-379-2	Not detected	Not detected	Not detected	Not detected	
71	Eugenol	97-53-0	202-589-1	Not detected	Not detected	Not detected	Not detected	
72	Hydroxycitronellal	107-75-5	203-518-7	Not detected	Not detected	Not detected	Not detected	
73	Isoeugenol	97-54-1 5932-68-3 5912-86-7	202-590-7 227-678-2 227-633-7	Not detected	Not detected	Not detected	Not detected	
74	Amylcinnamyl alcohol	101-85-9	202-982-8	Not detected	Not detected	Not detected	Not detected	
75	Benzyl salicylate	118-58-1	204-262-9	Not detected	Not detected	Not detected	Not detected	
76	Cinnamal	104-55-2	203-213-9	Not detected	Not detected	Not detected	Not detected	
77	Coumarin	91-64-5	202-086-7	Not detected	Not detected	Not detected	Not detected	
78	Geraniol	106-24-1	203-377-1	Not detected	Not detected	Not detected	Not detected	
80	Anise alcohol	105-13-5	203-273-6	Not detected	Not detected	Not detected	Not detected	
81	Benzyl cinnamate	103-41-3	203-109-3	Not detected	Not detected	Not detected	Not detected	

COFFEE BEANS #EU35918F

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Issue date: 4/22/2020

Revision date: 3/3/2025

Supersedes version of: 12/30/2024

Version: 2.0

82	Farnesol	4602-84-0	225-004-1	Not detected	Not detected	Not detected	Not detected	
84	Linalool	78-70-6	201-134-4	Not detected	Not detected	Not detected	Not detected	
86	Citronellol	106-22-9 26489-01-0 1117-61-9 7540-51-4	203-375-0 247-737-6 214-250-5 231-415-7	Not detected	Not detected	Not detected	Not detected	
87	Hexyl cinnamal	101-86-0	202-983-3	Not detected	Not detected	Not detected	Not detected	
88	Limonene	138-86-3 7705-14-8 5989-27-5 5989-54-8	205-341-0 231-732-0 227-813-5 227-815-6	Not detected	Not detected	Not detected	Not detected	
89	Methyl 2-Octynoate	111-12-6	203-836-6	Not detected	Not detected	Not detected	Not detected	
90	alpha-Isomethyl ionone	127-51-5	204-846-3	Not detected	Not detected	Not detected	Not detected	
91	Evernia prunastri extract	90028-68-5	289-861-3	Not detected	Not detected	Not detected	Not detected	
92	Evernia furfuracea extract	90028-67-4	289-860-8	Not detected	Not detected	Not detected	Not detected	
109	Pinus Mugo Leaf Oil; Pinus Mugo Twig Leaf Extract; Pinus Mugo Twig Oil	90082-72-7	290-163-6	Not detected	Not detected	Not detected	Not detected	
114	Pinus Pumila Needle Extract; Pinus Pumila Twig Leaf Extract; Pinus Pumila Twig Leaf Oil	97676-05-6	307-681-6	Not detected	Not detected	Not detected	Not detected	
122	Cedrus Atlantica Bark Extract; Cedrus Atlantica Bark Oil; Cedrus Atlantica Bark Water; Cedrus Atlantica Leaf Extract; Cedrus Atlantica Wood Extract; Cedrus Atlantica Wood Oil	92201-55-3 8023-85-6	295-985-9	Not detected	Not detected	Not detected	Not detected	
124	Turpentine	9005-90-7 8006-64-2 8052-14-0	232-688-5 232-350-7	Not detected	Not detected	Not detected	Not detected	
131	Alpha-Terpinene	99-86-5	202-795-1	Not detected	Not detected	Not detected	Not detected	
133	Terpinolene	586-62-9	209-578-0	Not detected	Not detected	Not detected	Not detected	
154	Myroxylon Balsamum Pereirae Balsam Extract; Myroxylon Balsamum Pereirae Balsam Oil; Myroxylon Pereirae Oil; Myroxylon Pereirae	8007-00-9	232-352-8	Not detected	Not detected	Not detected	Not detected	

COFFEE BEANS #EU35918F

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Issue date: 4/22/2020

Revision date: 3/3/2025

Supersedes version of: 12/30/2024

Version: 2.0

	Resin Extract; Myroxylon Pereirae Resin							
157	Alpha-Damascone; cis-Rose ketone 1 / trans-Rose ketone 1 / Rose ketone 4 (Damascone) / Rose ketone 3 (delta-Damascone) / trans-Rose ketone 3 / cis-Rose ketone 2 (cis-beta-Damascone) / trans-Rose ketone 2 (trans-beta-Damascone)	43052-87-5 23726-94-5 24720-09-0 23696-85-7 57378-68-4 71048-82-3 23726-92-3 23726-91-2	245-845-8 246-430-4 245-833-2 260-709-8 275-156-8 245-843-7 245-842-1	Not detected	Not detected	Not detected	Not detected	
175	3-Propylidenephthalide	17369-59-4	241-402-8	Not detected	Not detected	Not detected	Not detected	
196	Lippia citriodora absolute	8024-12-2 85116-63-8	285-515-0	Not detected	Not detected	Not detected	Not detected	
324	Methyl Salicylate	119-36-8	204-317-7	Not detected	Not detected	Not detected	Not detected	
327	Acetyl Cedrene	32388-55-9	251-020-3	Not detected	Not detected	Not detected	Not detected	
328	Amyl Salicylate	2050-08-0	218-080-2	Not detected	Not detected	Not detected	Not detected	
329	Anethole	104-46-1 4180-23-8	203-205-5 224-052-0	Not detected	Not detected	Not detected	Not detected	
330	Benzaldehyde	100-52-7	202-860-4	Not detected	Not detected	Not detected	Not detected	
331	Camphor	76-22-2 21368-68-3 464-49-3 464-48-2	200-945-0 244-350-4 207-355-2 207-354-7	Not detected	Not detected	Not detected	Not detected	
332	Beta-Caryophyllene	87-44-5	201-746-1	Not detected	Not detected	Not detected	Not detected	
333	Carvone	99-49-0 6485-40-1 2244-16-8	202-759-5 229-352-5 218-827-2	Not detected	Not detected	Not detected	Not detected	
334	Dimethyl Phenethyl Acetate	151-05-3	205-781-3	Not detected	Not detected	Not detected	Not detected	
335	Hexadecanolactone	109-29-5	203-662-0	Not detected	Not detected	Not detected	Not detected	
336	Hexamethylindanopyran	1222-05-5	214-946-9	Not detected	Not detected	Not detected	Not detected	
337	Linalyl Acetate	115-95-7	204-116-4	Not detected	Not detected	Not detected	Not detected	
338	Menthol	89-78-1	201-939-0	Not detected	Not detected	Not detected	Not detected	

COFFEE BEANS #EU35918F

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Issue date: 4/22/2020

Revision date: 3/3/2025

Supersedes version of: 12/30/2024

Version: 2.0

		1490-04-6 2216-51-5 15356-60-2	216-074-4 218-690-9 239-387-8					
339	Trimethylcyclopentenyl Methylisopentenol	67801-20-1	267-140-4	Not detected	Not detected	Not detected	Not detected	
340	Salicylaldehyde	90-02-8	201-961-0	Not detected	Not detected	Not detected	Not detected	
341	Santalol	11031-45-1 115-71-9 77-42-9	234-262-4 204-102-8 201-027-2	Not detected	Not detected	Not detected	Not detected	
342	Sclareol	515-03-7	208-194-0	Not detected	Not detected	Not detected	Not detected	
343	Terpineol	8000-41-7 98-55-5 138-87-4 586-81-2	232-268-1 202-680-6 205-342-6 209-584-3	Not detected	Not detected	Not detected	Not detected	
344	Tetramethyl acetyloctahydronaphthalenes	54464-57-2 54464-59-4 68155-66-8 68155-67-9	259-174-3 259-175-9 268-978-3 268-979-9	Not detected	Not detected	Not detected	Not detected	
345	Trimethylbenzenepropanol	103694-68-4	403-140-4	Not detected	Not detected	Not detected	Not detected	
347	Cananga Odorata Flower Extract; Cananga Odorata Flower Oil	83863-30-3 8006-81-3 68606-83-7 93686-30-7	281-092-1 297-681-1	Not detected	Not detected	Not detected	Not detected	
348	Cinnamomum Cassia Leaf Oil	8007-80-5 84961-46-6	284-635-0	Not detected	Not detected	Not detected	Not detected	
349	Cinnamomum Zeylanicum Bark Oil	8015-91-6 84649-98-9	283-479-0	Not detected	Not detected	Not detected	Not detected	
350	Citrus Aurantium Amara Flower Oil / Citrus Aurantium Dulcis Flower Oil	72968-50-4 8028-48-6 8016-38-4	277-143-2 232-433-8	Not detected	Not detected	Not detected	Not detected	
351	Citrus Aurantium Amara Peel Oil / Citrus Aurantium Dulcis Peel Oil; Citrus Sinensis Peel Oil	68916-04-1 72968-50-4 97766-30-8 8028-48-6	277-143-2 307-891-8 232-433-8	Not detected	Not detected	Not detected	Not detected	

COFFEE BEANS #EU35918F

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Issue date: 4/22/2020

Revision date: 3/3/2025

Supersedes version of: 12/30/2024

Version: 2.0

		8008-57-9						
352	Citrus Aurantium Bergamia Peel Oil	8007-75-8 89957-91-5 68648-33-9 8007-75-8 85049-52-1	616-915-9 289-612-9 - 616-915-9	Not detected	Not detected	Not detected	Not detected	
353	Citrus Limon Peel Oil	84929-31-7 8008-56-8	284-515-8	Not detected	Not detected	Not detected	Not detected	
354	Cymbopogon Schoenanthus Oil / Cymbopogon Flexuosus Oil / Cymbopogon Citratus Leaf Oil	8007-02-1 89998-16-3 91844-92-7 8007-02-1 91844-92-7	289-754-1 295-161-9 295-161-9 295-161-9	Not detected	Not detected	Not detected	Not detected	
355	Eucalyptus Globulus Leaf Oil; Eucalyptus Globulus Leaf/Twig Oil	97926-40-4 8000-48-4 8000-48-4	308-257-3 616-775-9 616-775-9	Not detected	Not detected	Not detected	Not detected	
356	Eugenia Caryophyllus Leaf Oil / Eugenia Caryophyllus Flower Oil / Eugenia Caryophyllus Stem oil / Eugenia Caryophyllus Bud oil	8000-34-8 8015-97-2 84961-50-2 84961-50-2 84961-50-2 84961-50-2	616-772-2 - 284-638-7 284-638-7 284-638-7 284-638-7	Not detected	Not detected	Not detected	Not detected	
357	Jasminum Grandiflorum Flower Extract; Jasminum Officinale Oil; Jasminum Officinale Flower Extract	84776-64-7 90045-94-6 8022-96-6 8024-43-9 90045-94-6	283-993-5 289-960-1 289-960-1	Not detected	Not detected	Not detected	Not detected	
358	Juniperus Virginiana Oil; Juniperus Virginiana Wood Oil	8000-27-9 85085-41-2	285-370-3	Not detected	Not detected	Not detected	Not detected	
359	Laurus Nobilis Leaf Oil	8002-41-3 8007-48-5 84603-73-6	283-272-5	Not detected	Not detected	Not detected	Not detected	
360	Lavandula Hybrida Oil; Lavandula Hybrida Extract; Lavandula Hybrida Flower Extract / Lavandula Intermedia Flower/Leaf/Stem Extract; Lavandula Intermedia	91722-69-9 8022-15-9 93455-96-0 93455-97-1	294-470-6 296-408-3 283-994-0 289-995-2	Not detected	Not detected	Not detected	Not detected	

COFFEE BEANS #EU35918F

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Issue date: 4/22/2020

Revision date: 3/3/2025

Supersedes version of: 12/30/2024

Version: 2.0

	Flower/Leaf/Stem Oil; Lavandula Intermedia Oil / Lavandula Angustifolia Oil; Lavandula Angustifolia Flower/Leaf/Stem Extract	92623-76-2 84776-65-8 8000-28-0 90063-37-9 84776-65-8 8000-28-0 90063-37-9						
361	Mentha Piperita Oil	8006-90-4 84082-70-2	282-015-4	Not detected	Not detected	Not detected	Not detected	
362	Mentha Viridis Leaf Oil	8008-79-5 84696-51-5	616-927-4 283-656-2	Not detected	Not detected	Not detected	Not detected	
363	Narcissus Poeticus Extract / Narcissus Pseudonarcissus Flower Extract / Narcissus Jonquilla Extract / Narcissus Tazetta Extract	90064-26-9 68917-12-4 90064-27-0 90064-25-8	290-087-3 - 290-088-9 290-086-8	Not detected	Not detected	Not detected	Not detected	
364	Pelargonium Graveolens Flower Oil	90082-51-2 8000-46-2	290-140-0	Not detected	Not detected	Not detected	Not detected	
365	Pogostemon Cablin Oil	8014-09-3 84238-39-1	282-493-4	Not detected	Not detected	Not detected	Not detected	
366	Rosa Damascena Flower Oil; Rosa Damascena Flower Extract / Rosa Alba Flower Oil; Rosa Alba Flower Extract / Rosa Canina Flower Oil / Rosa Centifolia Flower Oil; Rosa Centifolia Flower Extract / Rosa Gallica Flower Oil / Rosa Moschata Flower Oil / Rosa Rugosa Flower Oil	8007-01-0 90106-38-0 93334-48-6 84696-47-9 84604-12-6 84604-13-7 - 92347-25-6	290-260-3 297-122-1 283-652-0 283-289-8 283-290-3 296-213-3	Not detected	Not detected	Not detected	Not detected	
367	Santalum Album Oil	8006-87-9 84787-70-2	284-111-1	Not detected	Not detected	Not detected	Not detected	
368	Eugenyl Acetate	93-28-7	202-235-6	Not detected	Not detected	Not detected	Not detected	
369	Geranyl Acetate	105-87-3	203-341-5	Not detected	Not detected	Not detected	Not detected	
370	Isoeugenyl Acetate	93-29-8	202-236-1	Not detected	Not detected	Not detected	Not detected	
371	Pinene	80-56-8 7785-70-8 127-91-3	201-291-9 232-087-8 204-872-5	Not detected	Not detected	Not detected	Not detected	

COFFEE BEANS #EU35918F

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Issue date: 4/22/2020 Revision date: 3/3/2025 Supersedes version of: 12/30/2024 Version: 2.0

		18172-67-3	242-060-2					
--	--	------------	-----------	--	--	--	--	--

CERTIFICATE OF CONFORMITY OF FRAGRANCE MIXTURES WITH IFRA STANDARDS

This certificate assesses the conformity of the fragrance mixture with IFRA Standards and provides restrictions for use as necessary. It is based only on those materials subject to IFRA Standards for the toxicity endpoint(s) described in each Standard.

This Certificate does therefore not replace a comprehensive safety assessment of the fragrance mixture.

CERTIFYING PARTY:

Geomar Concept SRL

CERTIFICATE DELIVERED TO:

SCOPE OF THE CERTIFICATE:

Product: COFFEE BEANS #EU35918F

Compulsory information:

We certify that the above mixture is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 51 Amendment to the IFRA Code of Practice (published June, 2023) provided it is used in the following class(es) at a maximum concentration level of:

IFRA Category(ies) [see Table 12 in Guidance for the use of IFRA Standards for details]	Level of use (%)*	Product application
Category 1	0 %	Lip Products of all types (solid and liquid lipsticks, balms, clear or colored, etc.) Children's toys
Category 2	1.76434189 %	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deocologne, etc.) Body sprays (including body mist)
Category 3	0.51670013 %	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eye care and moisturizer Facial make up and foundation Make-up remover for face and eyes Nose pore strips Wipes or refreshing tissues for face, neck, hands, body

Disclaimer: This Certificate provides restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents. This certificate is the responsibility of the fragrance supplier issuing it. It has not been prepared or endorsed by IFRA in anyway.

		Body and face paint (for children and adults) Facial masks for face and around the eyes
Category 4	6.04917221 %	Hydroalcoholic and non-hydroalcoholic fine fragrance of all types (Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, etc.), aftershaves of all types (except creams and balms) Fragranced bracelets Ingredients of perfume kits and fragrance mixtures for cosmetic kits Scent pads, foil packs Scent strips for hydroalcoholic products
Category 5A	5.4190501 %	Body creams, oils, lotions of all types Foot care products (creams and powders) Insect repellent (intended to be applied to the skin) All powders and talc (excluding baby powders and talc)
Category 5B	0.26465128 %	Facial toner Facial moisturizers and creams (including care products for beard and mustache)
Category 5C	1.04600269 %	Hand cream Nail care products including cuticle creams, nail lacquer remover, etc. Hand sanitizers
Category 5D	0.08821709 %	Baby cream/lotion, baby oil, baby powders and talc
Category 6	0 %	Toothpaste Mouthwash, including breath sprays Toothpowder, strips, mouthwash tablets
Category 7A	0.51670013 %	Hair permanent or other hair chemical treatments (rinse-off) (e.g. relaxers), including rinse-off hair dyes
Category 7B	0.51670013 %	Hair sprays of all types (pumps, aerosol sprays, etc.) Hair styling aids non sprays (mousse, gels, leave-on conditioners) Hair permanent or other hair chemical treatments (leave-on) (e.g. relaxers), including leave-on hair dyes Shampoo - Dry (waterless shampoo) Hair deodorizer, hair perfume*
Category 8	0.08821709 %	Intimate wipes Intimate deodorant spray Tampons Baby wipes Toilet paper (wet)
Category 9	2.394464 %	Bar soap Shampoo of all type Cleanser for face (rinse-off) Conditioner (rinse-off) Liquid soap Body washes and shower gels of all types Baby wash, bath, shampoo Bath gels, foams, mousses, salts, oils and other products

Disclaimer: This Certificate provides restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents. This certificate is the responsibility of the fragrance supplier issuing it. It has not been prepared or endorsed by IFRA in anyway.

		added to bathwater (such as bath bombs) Foot care products (feet are placed in a bath for soaking) Shaving creams of all types (stick, gels, foams, etc.) All depilatories (including facial) and waxes for mechanical hair removal Shampoos for pets
Category 10A	2.394464 %	Hand wash laundry detergent (including concentrates) Laundry pre-treatment of all types (e.g.paste, sprays, sticks) Hand dishwashing detergent (including concentrates) Hard surface cleaners of all types (bathroom and kitchen cleansers,furniture polish, etc.) Machine laundry detergents with skin contact (e.g. liquids, powders) including concentrates Toilet seat wipes Fabric softeners of all types excluding fabric softener sheets Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics) Floor wax Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems), etc. Ironing water (Odorized distilled water) Dry cleaning kits (involving manual application on the textile)
Category 10B	15.12293052 %	Animal sprays – sprays applied to animals of all types Air freshener sprays, manual, including aerosol and pump Aerosol/spray insecticides
Category 11A	0.08821709 %	Feminine hygiene conventional pads,liners, interlabial pads Baby diapers Incontinence pant, pad Toilet paper (dry)
Category 11B	0.08821709 %	Tights with moisturizers Scented socks, gloves Facial tissues (dry tissues) Napkins Pillow spray Paper towels Wheat bags Facial masks (paper/protective) e.g.surgical masks not used as medical device Fertilizers, solid (pellet or powder)
Category 12	100 %	Candles of all types (including encased) Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods)

Disclaimer: This Certificate provides restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents. This certificate is the responsibility of the fragrance supplier issuing it. It has not been prepared or endorsed by IFRA in anyway.

Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals, solid non aerosol car diffuser)
 Air delivery systems
 Cat litter
 Cell phone cases
 Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders)
 Dry cleaning kits (placed in the dryer)
 Dryer sheets and fabric softener sheets
 Fuels
 Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excluding aerosols/sprays
 Joss sticks or incense sticks
 Dishwash detergent and deodorizers – for machine wash
 Olfactive board games
 Paints
 Plastic articles (excluding toys)
 Scratch and sniff
 Scent pack
 Scent delivery system (using dry air technology)
 Shoe polishes
 Rim blocks (toilet)
 Toilet gel
 Scent beads

**Actual use level or maximum use level*

Information about presence and concentration of fragrance ingredients subject to IFRA Standards in the fragrance mixture (COFFEE BEANS #EU35918F) is as follows:

Materials under the scope of IFRA Standards	CAS-No.	Recommendation from IFRA Standard:	Concentration (%) in fragrance mixture or finished product	Comment
Benzyl benzoate	120-51-4	Restricted	79.3497	
4-Hydroxy-2,5-dimethyl-3(2H)-furanone	3658-77-3	Restricted	0.1627	

Disclaimer: This Certificate provides restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents. This certificate is the responsibility of the fragrance supplier issuing it. It has not been prepared or endorsed by IFRA in anyway.

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 4/22/2020 Revision date: 2/18/2026 Supersedes version of: 3/3/2025 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: COFFEE BEANS #EU35918F
UFI	: YRF6-K390-V00Q-5MF6
Product code	: EU35918F
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only Industrial
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.3. Details of the supplier of the safety data sheet

Geomar Concept SRL

1.4. Emergency telephone number

Emergency number : +40725864869

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction. Very toxic to aquatic life.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)

: Warning

Contains

: Benzyl benzoate; Ethyl vanillin; Ethyl maltol; 1,2-Cyclopentanedione, 3-methyl-; TOLU BALSAM; 3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-; Acetyl Propionyl

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H302 - Harmful if swallowed. H317 - May cause an allergic skin reaction. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-33	39.65 – 79.3497	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Resin acids and Rosin acids, hydrogenated, methyl esters	CAS-No.: 8050-15-5 EC-No.: 232-476-2	4.5 – 9	Aquatic Chronic 3, H412
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	1.33 – 2.673	Eye Irrit. 2, H319
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	0.9 – 1.8367	Acute Tox. 4 (Oral), H302
.delta.-Decalactone	CAS-No.: 705-86-2 EC-No.: 211-889-1	0.9 – 1.8	Aquatic Chronic 3, H412
1,2-Cyclopentanedione, 3-methyl-	CAS-No.: 765-70-8 EC-No.: 212-154-8	0.2 – 0.45	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Benzothiazole substance with national workplace exposure limit(s) (PL)	CAS-No.: 95-16-9 EC-No.: 202-396-2	0.2 – 0.35	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Dermal), H310 Acute Tox. 4 (Inhalation), H332 Acute Tox. 3 (Inhalation:vapour), H331 Eye Irrit. 2, H319
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-	CAS-No.: 3658-77-3 EC-No.: 222-908-8	0.1 – 0.1627	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Irrit. 2, H319 Skin Sens. 1A, H317
Acetyl Propionyl substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0.1 – 0.1217	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
TOLU BALSAM	CAS-No.: 9000-64-0	0.05 – 0.1125	Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Chronic 3, H412
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	0 – 0.0382	Flam. Liq. 2, H225
pyridine substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 110-86-1 EC-No.: 203-809-9 EC Index-No.: 613-002-00-7	0 – 0.0074	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332
2,6-xylenol substance with national workplace exposure limit(s) (LV, RO)	CAS-No.: 576-26-1 EC-No.: 209-400-1 EC Index-No.: 604-006-00-X	0 – 0.0059	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Isovaleraldehyde substance with national workplace exposure limit(s) (AT, DE, LT, SI)	CAS-No.: 590-86-3 EC-No.: 209-691-5	0 – 0.0045	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT SE 3, H335 Aquatic Chronic 2, H411
acetaldehyde; ethanal substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, NL, PL, PT, RO, SE, SI, SK, NO, CH)	CAS-No.: 75-07-0 EC-No.: 200-836-8 EC Index-No.: 605-003-00-6	0 – 0.0018	Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Muta. 2, H341 Carc. 1B, H350 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/.... Get medical advice/attention. Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Call a poison center or a doctor if you feel unwell.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal. Always store product in container of same material as original container.

Switzerland

Storage class (LK)	: LK 10/12 - Liquids
--------------------	----------------------

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Benzothiazole (95-16-9)	
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	20 mg/m ³
Acetyl Propionyl (600-14-6)	
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA)	0.083 mg/m ³
	0.02 ppm
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	0.083 mg/m ³
	0.02 ppm
OEL STEL	0.083 mg/m ³

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetyl Propionyl (600-14-6)	
	0.02 ppm
OEL chemical category	Potential for cutaneous absorption
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	0.08 mg/m³
	0.02 ppm
KZGW (OEL STEL)	0.16 mg/m³
	0.04 ppm
OEL chemical category	Sensitizer, Skin notation
ethanol; ethyl alcohol (64-17-5)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	1900 mg/m³
	1000 ppm
MAK (OEL STEL)	3800 mg/m³
	2000 ppm
Belgium - Occupational Exposure Limits	
OEL TWA	1907 mg/m³
	1000 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	1000 mg/m³
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	1900 mg/m³
	1000 ppm
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	1000 mg/m³
Denmark - Occupational Exposure Limits	
OEL TWA	1900 mg/m³
	1000 ppm
OEL STEL	3800 mg/m³
	2000 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	1000 mg/m³
	500 ppm
OEL STEL	1900 mg/m³
	1000 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	380 mg/m³
	200 ppm
HTP (OEL STEL)	1520 mg/m³
	800 ppm

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol; ethyl alcohol (64-17-5)	
France - Occupational Exposure Limits	
VLEP 8h (OEL TWA)	1900 mg/m ³
	1000 ppm
VLEP CT (OEL STEL)	9500 mg/m ³
	5000 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA)	380 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Greece - Occupational Exposure Limits	
OEL TWA	1900 mg/m ³
	1000 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	1900 mg/m ³
CK (OEL STEL)	3800 mg/m ³
Ireland - Occupational Exposure Limits	
OEL STEL	1000 ppm
Latvia - Occupational Exposure Limits	
OEL TWA	1000 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	1000 mg/m ³
	500 ppm
TPRV (OEL STEL)	1900 mg/m ³
	1000 ppm
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	260 mg/m ³
	137 ppm
TGG-15min (OEL STEL)	1900 mg/m ³
	1000 ppm
MAC chemical category	Skin notation
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	1900 mg/m ³
Portugal - Occupational Exposure Limits	
OEL STEL	1000 ppm
OEL chemical category	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
Romania - Occupational Exposure Limits	
OEL TWA	1900 mg/m ³
	1000 ppm
OEL STEL	9500 mg/m ³

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol; ethyl alcohol (64-17-5)	
	5000 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	960 mg/m ³
	500 ppm
NPHV (OEL C)	1920 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA	960 mg/m ³
	500 ppm
OEL STEL	1920 mg/m ³
	1000 ppm
Spain - Occupational Exposure Limits	
VLA-EC (OEL STEL)	1910 mg/m ³
	1000 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	1000 mg/m ³
	500 ppm
KGV (OEL STEL)	1900 mg/m ³
	1000 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	1920 mg/m ³
	1000 ppm
WEL STEL (OEL STEL)	5760 mg/m ³ (calculated)
	3000 ppm (calculated)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	950 mg/m ³
	500 ppm
Korttidsverdi (OEL STEL)	1187.5 mg/m ³ (value calculated)
	625 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	960 mg/m ³ (no elevated carcinogenic and reproductive toxicity risk by keeping the TWA-value)
	500 ppm (no elevated carcinogenic and reproductive toxicity risk by keeping the TWA-value)
KZGW (OEL STEL)	1920 mg/m ³ (no high risk of carcinogenicity by keeping the TWA value)
	1000 ppm (no high risk of carcinogenicity by keeping the TWA value)
OEL chemical category	Category C1A carcinogen carcinogenic with threshold value, Category 1A reproductive toxin
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® STEL	1000 ppm
ACGIH® chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pyridine (110-86-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	15 mg/m ³ (existing scientific data on health effects appear to be particularly limited)
	5 ppm (existing scientific data on health effects appear to be particularly limited)
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	15 mg/m ³
	5 ppm
MAK (OEL STEL)	60 mg/m ³
	20 ppm
OEL chemical category	Skin notation
Belgium - Occupational Exposure Limits	
OEL TWA	3.3 mg/m ³
	1 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	15 mg/m ³
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	15 mg/m ³
	5 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	15 mg/m ³
	5 ppm
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	5 mg/m ³
OEL chemical category	Potential for cutaneous absorption
Denmark - Occupational Exposure Limits	
OEL TWA	15 mg/m ³
	5 ppm
OEL STEL	30 mg/m ³
	10 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	15 mg/m ³
	5 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	3 mg/m ³
	1 ppm
HTP (OEL STEL)	16 mg/m ³
	5 ppm
OEL chemical category	Potential for cutaneous absorption
France - Occupational Exposure Limits	
VLEP 8h (OEL TWA)	15 mg/m ³

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pyridine (110-86-1)	
	5 ppm
VLEP CT (OEL STEL)	30 mg/m³
	10 ppm
Gibraltar - Occupational Exposure Limits	
OEL TWA	15 mg/m³ (existing scientific data on health effects appear to be particularly limited)
	5 ppm (existing scientific data on health effects appear to be particularly limited)
Greece - Occupational Exposure Limits	
OEL TWA	15 mg/m³
	5 ppm
OEL STEL	30 mg/m³
	10 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	15 mg/m³
CK (OEL STEL)	30 mg/m³
OEL chemical category	Sensitizer, Potential for cutaneous absorption
Ireland - Occupational Exposure Limits	
OEL TWA	15 mg/m³
	5 ppm
OEL STEL	30 mg/m³
	10 ppm (total resin acid-airborne)
Italy - Occupational Exposure Limits	
OEL TWA	15 mg/m³
OEL STEL	5 mg/m³
Latvia - Occupational Exposure Limits	
OEL TWA	15 mg/m³
	5 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	15 mg/m³
	5 ppm
Luxembourg - Occupational Exposure Limits	
OEL TWA	15 mg/m³
	5 ppm
Malta - Occupational Exposure Limits	
OEL TWA	15 mg/m³
	5 ppm
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	0.9 mg/m³
	0.3 ppm

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pyridine (110-86-1)	
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	5 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	15 mg/m³ (indicative limit value)
	5 ppm (indicative limit value)
OEL chemical category	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
Romania - Occupational Exposure Limits	
OEL TWA	15 mg/m³
	5 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	15 mg/m³
	5 ppm
Slovenia - Occupational Exposure Limits	
OEL TWA	15 mg/m³
	5 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	3 mg/m³
	1 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	7 mg/m³
	2 ppm
KGV (OEL STEL)	10 mg/m³
	3 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	16 mg/m³
	5 ppm
WEL STEL (OEL STEL)	33 mg/m³
	10 ppm
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	1 ppm
Korttidsverdi (OEL STEL)	3 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	15 mg/m³
	5 ppm
KZGW (OEL STEL)	30 mg/m³
	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	1 ppm
ACGIH® chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2,6-xylenol (576-26-1)	
Latvia - Occupational Exposure Limits	
OEL TWA	2 mg/m³
Romania - Occupational Exposure Limits	
OEL TWA	15 mg/m³
OEL STEL	20 mg/m³
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	1 ppm (inhalable fraction and vapor)
ACGIH® chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans, dermal sensitizer
Isovaleraldehyde (590-86-3)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	39 mg/m³
	10 ppm
MAK (OEL STEL)	39 mg/m³
	10 ppm
OEL C	39 mg/m³
	10 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA)	39 mg/m³
	10 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	10 mg/m³
Slovenia - Occupational Exposure Limits	
OEL TWA	39 mg/m³
	10 ppm
OEL STEL	39 mg/m³
	10 ppm
acetaldehyde; ethanal (75-07-0)	
Austria - Occupational Exposure Limits	
OEL C	90 mg/m³
	50 ppm
OEL chemical category	Group A2 Carcinogen
Belgium - Occupational Exposure Limits	
OEL TWA	46 mg/m³
	25 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	30 mg/m³
OEL STEL	200 mg/m³

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetaldehyde; ethanal (75-07-0)	
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	37 mg/m³
	20 ppm
KGVI (OEL STEL)	92 mg/m³
	50 ppm
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	50 mg/m³
Denmark - Occupational Exposure Limits	
OEL C	45 mg/m³
	25 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	45 mg/m³
	25 ppm
OEL STEL	90 mg/m³
	50 ppm
OEL chemical category	Carcinogenic substance
Finland - Occupational Exposure Limits	
HTP (OEL STEL)	46 mg/m³
	25 ppm
France - Occupational Exposure Limits	
VLEP 8h (OEL TWA)	180 mg/m³
	100 ppm
OEL chemical category	Carcinogen category 1B, Mutagen category 2
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA)	91 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Greece - Occupational Exposure Limits	
OEL TWA	180 mg/m³
	100 ppm
OEL STEL	270 mg/m³
	150 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	45 mg/m³
CK (OEL STEL)	45 mg/m³
Ireland - Occupational Exposure Limits	
OEL STEL	45 mg/m³
	25 ppm

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetaldehyde; ethanal (75-07-0)	
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	45 mg/m³
	25 ppm
TPRV (OEL STEL)	90 mg/m³
	50 ppm
OEL chemical category	Carcinogen
Netherlands - Occupational Exposure Limits	
TGG-8h (OEL TWA)	37 mg/m³
	20 ppm
TGG-15min (OEL STEL)	92 mg/m³
	50 ppm
Poland - Occupational Exposure Limits	
NDSP (OEL C)	45 mg/m³
Portugal - Occupational Exposure Limits	
OEL C	25 ppm
OEL chemical category	A2 - Suspected Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA	90 mg/m³
	50 ppm
OEL STEL	180 mg/m³
	100 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	91 mg/m³
	50 ppm
Slovenia - Occupational Exposure Limits	
OEL TWA	91 mg/m³
	50 ppm
OEL STEL	91 mg/m³
	50 ppm
OEL chemical category	Category 2
Spain - Occupational Exposure Limits	
VLA-EC (OEL STEL)	46 mg/m³
	25 ppm
OEL chemical category	C1B
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	45 mg/m³
	25 ppm
KGV (OEL STEL)	90 mg/m³
	50 ppm

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetaldehyde; ethanal (75-07-0)	
OEL chemical category	Carcinogen
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	37 mg/m³
	20 ppm
WEL STEL (OEL STEL)	92 mg/m³
	50 ppm
WEL chemical category	Capable of causing cancer and/or heritable genetic damage
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	45 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	67.5 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Carcinogen
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	90 mg/m³
	50 ppm
KZGW (OEL STEL)	90 mg/m³
	50 ppm
OEL chemical category	Category C2 carcinogen
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® C	25 ppm
ACGIH® chemical category	Suspected Human Carcinogen

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic. characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 93 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0.001364207 mm Hg (calculated value)
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 1.1
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

Other safety characteristics

VOC content : 2.821 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

COFFEE BEANS #EU35918F	
ATE CLP (oral)	617.369 mg/kg bodyweight
benzyl benzoate (120-51-4)	
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)
LD50 oral	1160 mg/kg
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5)	
LD50 oral rat	> 2000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 10000 mg/kg (Source: ECHA_API)
Ethyl vanillin (121-32-4)	
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Ethyl maltol (4940-11-8)	
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)
LD50 oral	1200 mg/kg
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
.delta.-Decalactone (705-86-2)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
1,2-Cyclopentanedione, 3-methyl- (765-70-8)	
LD50 oral	1067 mg/kg
Benzothiazole (95-16-9)	
LD50 oral rat	380 mg/kg (Source: JAPAN_GHS)
LD50 oral	240 mg/kg
LD50 dermal rabbit	126 – 200 mg/kg (Source: JAPAN_GHS)
LD50 dermal	1000 mg/kg
LC50 Inhalation - Rat	5 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	5 mg/l
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (3658-77-3)	
LD50 oral	1608 mg/kg

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetyl Propionyl (600-14-6)	
LD50 oral rat	3 g/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg (Source: NIOSH)
ethanol; ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	133.8 mg/l/4h
pyridine (110-86-1)	
LD50 oral rat	866 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	1000 – 2000 mg/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat	12.898 mg/l/4h
LC50 Inhalation - Rat (Vapours)	15 mg/l
2,6-xylenol (576-26-1)	
LD50 oral rat	296 mg/kg (Source: JAPAN_GHS)
LD50 oral	296 mg/kg
LD50 dermal rabbit	1 g/kg (Source: NLM_CIP)
LD50 dermal	960 mg/kg
Isovaleraldehyde (590-86-3)	
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2730 mg/kg (Source: NLM_CIP)
LD50 dermal	2534 mg/kg
LC50 Inhalation - Rat	42.7 mg/l/4h
acetaldehyde; ethanal (75-07-0)	
LD50 oral rat	660 mg/kg (Source: JAPAN_GHS)
LD50 oral	700 mg/kg
LD50 dermal rabbit	3540 mg/kg (Source: NLM_HSDB)
LD50 dermal	3540 mg/kg
LC50 Inhalation - Rat [ppm]	13000 ppm/4h
Skin corrosion/irritation	: Not classified
pyridine (110-86-1)	
pH	8.5 (conc: 0.2 M (aqueous solution))
Serious eye damage/irritation	: Not classified
pyridine (110-86-1)	
pH	8.5 (conc: 0.2 M (aqueous solution))
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
pyridine (110-86-1)	
IARC group	2B - Possibly carcinogenic to humans

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetaldehyde; ethanal (75-07-0)	
IARC group	1 - Carcinogenic to humans, 2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Isovaleraldehyde (590-86-3)	
STOT-single exposure	May cause respiratory irritation.
acetaldehyde; ethanal (75-07-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
TOLU BALSAM (9000-64-0)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Acetyl Propionyl (600-14-6)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s

11.2. Information on other hazards

Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met, Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.
Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)
Benzothiazole (95-16-9)	
LC50 - Fish [1]	58.8 – 69.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
ethanol; ethyl alcohol (64-17-5)	
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol; ethyl alcohol (64-17-5)	
EC50 - Crustacea [1]	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
pyridine (110-86-1)	
LC50 - Fish [1]	63.4 – 73.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	26 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: EPA)
2,6-xlenol (576-26-1)	
LC50 - Fish [1]	27 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
EC50 - Crustacea [1]	11.2 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	11.2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Isovaleraldehyde (590-86-3)	
LC50 - Fish [1]	2.98 – 3.54 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
EC50 - Crustacea [1]	177 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	80 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	78 mg/l (Species: Desmodesmus subspicatus)
acetaldehyde; ethanal (75-07-0)	
LC50 - Fish [1]	28 – 34 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	53 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	3.64 – 6.15 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 - Crustacea [2]	48.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

COFFEE BEANS #EU35918F	
Persistence and degradability	Not established.
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5)	
Persistence and degradability	Rapidly degradable
Ethyl vanillin (121-32-4)	
Persistence and degradability	Not established.
Ethyl maltol (4940-11-8)	
Persistence and degradability	Rapidly degradable
.delta.-Decalactone (705-86-2)	
Persistence and degradability	Rapidly degradable
1,2-Cyclopentanedione, 3-methyl- (765-70-8)	
Persistence and degradability	Rapidly degradable

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzothiazole (95-16-9)	
Persistence and degradability	Rapidly degradable
TOLU BALSAM (9000-64-0)	
Persistence and degradability	Rapidly degradable
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (3658-77-3)	
Persistence and degradability	Rapidly degradable
Acetyl Propionyl (600-14-6)	
Persistence and degradability	Rapidly degradable
ethanol; ethyl alcohol (64-17-5)	
Persistence and degradability	Rapidly degradable
pyridine (110-86-1)	
Persistence and degradability	Rapidly degradable
2,6-xyleneol (576-26-1)	
Persistence and degradability	Rapidly degradable
Isovaleraldehyde (590-86-3)	
Persistence and degradability	Rapidly degradable
acetaldehyde; ethanal (75-07-0)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

COFFEE BEANS #EU35918F	
Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5)	
Partition coefficient n-octanol/water (Log Pow)	6.4 – 7.6 (at pH 6)
Ethyl vanillin (121-32-4)	
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)
Bioaccumulative potential	Not established.
Ethyl maltol (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)
.delta.-Decalactone (705-86-2)	
Partition coefficient n-octanol/water (Log Pow)	2.27 (at 28 °C (at pH 3.41)
1,2-Cyclopentanedione, 3-methyl- (765-70-8)	
Partition coefficient n-octanol/water (Log Pow)	-0.54 (calculated value)

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzothiazole (95-16-9)	
BCF - Fish [1]	2.1 – 7.5
Partition coefficient n-octanol/water (Log Pow)	2.01
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (3658-77-3)	
Partition coefficient n-octanol/water (Log Pow)	0.95 (at 20 °C (at pH 2.5)
ethanol; ethyl alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4)
pyridine (110-86-1)	
Partition coefficient n-octanol/water (Log Pow)	0.65
2,6-xyleneol (576-26-1)	
Partition coefficient n-octanol/water (Log Pow)	2.36
Isovaleraldehyde (590-86-3)	
Partition coefficient n-octanol/water (Log Pow)	1.5 (at 25 °C (at pH 7)
acetaldehyde; ethanal (75-07-0)	
Partition coefficient n-octanol/water (Log Pow)	0.45 – 0.63 (at 25 °C (at pH 7)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

COFFEE BEANS #EU35918F	
Other information	Avoid release to the environment.
benzyl benzoate (120-51-4)	
Other information	Avoid release to the environment.
Ethyl vanillin (121-32-4)	
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
Ecological waste information	: Avoid release to the environment.

COFFEE BEANS #EU35918F



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code : HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6
Special provisions (ADR) : 274, 335, 375, 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions (ADR) : TP1, TP29

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13
Hazard identification number (Kemler No.) : 90
Orange plates :



Tunnel restriction code (ADR) : -
EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP01, P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L
Special provisions (IATA) : A97, A158, A197, A215
ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6
Special provisions (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6
Special provisions (RID) : 274, 335, 375, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions (RID) : TP1, TP29
Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Acetyl Propionyl ; Ethyl alcohol ; Pyridine ; Isovaleraldehyde ; Acetaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	COFFEE BEANS #EU35918F ; Benzyl benzoate ; Benzothiazole ; TOLU BALSAM ; 3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- ; Acetyl Propionyl ; Pyridine ; Isovaleraldehyde ; Acetaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	COFFEE BEANS #EU35918F ; Benzyl benzoate ; Resin acids and Rosin acids, hydrogenated, methyl esters ; .delta.-Decalactone ; TOLU BALSAM ; Isovaleraldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 2.821 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

VOC ordinance (ChemVOCFarbV)	: VOC content	: 2.821 % (calculated value)(CARB VOC) (%w/w)
Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).	
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).	
Major Accidents Ordinance (12. BImSchV)	: Is not subject to the Major Accidents Ordinance (12. BImSchV)	

Netherlands

ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Resin acids and Rosin acids, hydrogenated, methyl esters, Ethyl alcohol, Acetaldehyde are listed
SZW-lijst van mutagene stoffen	: Resin acids and Rosin acids, hydrogenated, methyl esters is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: Ethyl alcohol is listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: Ethyl alcohol is listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: Ethyl alcohol is listed

Denmark

Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with it. If an employee is pregnant or breastfeeding and the person in question uses or is exposed to this product at work, the employer must always carry out a risk assessment of the work. The assessment must both deal with the dangerousness of the impact and its strength and duration. The employer's decision that a pregnant or lactating woman can perform a specific work task must therefore be made in the context of her specific working conditions. See also WEA-Guideline A.1.8-7 on the working environment of pregnant and breastfeeding workers.

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488).
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891).
Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as amended)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstracts Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 1	Flammable liquids, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.

COFFEE BEANS #EU35918F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.